



Waste Management of Canada Corporation

Environmental Assessment for a New Landfill Footprint at the West Carleton Environmental Centre

SURFACE WATER EXISTING CONDITIONS REPORT

Prepared by:

AECOM Canada Limited
300 – 300 Town Centre Boulevard 905 477 8400 tel
Markham, ON, Canada L3R 5Z6 905 477 1456 fax
www.aecom.com

Project Number:

60191228

Date:

November, 2011

Table of Contents

	Page
1. Introduction.....	1
1.1 Documentation.....	2
1.2 Surface Water Study Team.....	2
2. The Study Area	2
3. Methodology	4
3.1 Available Secondary Source Information Collection and Review.....	4
3.2 Process Undertaken	4
4. Existing Surface Water Conditions.....	5
4.1 Surface Water Features.....	5
4.1.1 Water Quantity	5
4.1.2 Water Quality	8
4.2 Stormwater Management Facilities	12
5. Conclusions.....	13
6. Recommendations / Further Work	13

List of Figures

- Figure 1. Surface Water – Drainage – Regional Context
 Figure 2. Surface Water – Drainage – On-site and Site Vicinity Context
 Figure 3. Monitoring Stations

List of Tables

- Table 1. Summary of 5-Year and 100-Year Peak Flow Estimates7
 Table 2. Surface Water – Water Quality Results, 2006 and 2011 11

Appendices

- Appendix A. Site Photos
 Appendix B Surface Water Quality – Monitoring Results



1. Introduction

This report provides an overview of the existing Surface Water conditions associated with the study area for the Environmental Assessment (EA) for a proposed new landfill footprint at the West Carleton Environmental Centre (WCEC). The Minister of the Environment approved Terms of Reference (ToR) for the EA that included a preliminary description of the existing environmental conditions on-site as well as within the site vicinity (see Section 7 of the approved ToR, August 2010). The ToR made a commitment that the description of the existing conditions would be expanded during the EA¹. With this in mind, investigative studies of the following environmental components were carried out for the purposes of generating a more detailed description and understanding of the environment for use in the assessment and evaluation of alternative landfill footprint options during the EA:

- Atmospheric;
- Geology and Hydrogeology;
- Surface Water;
- Biology – Terrestrial and Aquatic;
- Cultural Heritage Resources;
- Transportation;
- Land Use;
- Agriculture;
- Socio-economic.

Each of the above disciplines also prepared draft work plans that were presented in Appendix C of the approved ToR. The work plan presents the scope of work required to complete the EA, including the scope of technical studies for each of the environmental components, including the existing conditions. The specific work plan tasks for completing the existing conditions for the Surface Water component are provided in Attachment 8 of Appendix C to the approved ToR and are provided here for reference:

The surface water environmental component has the sub-components surface water quantity and surface water quality. The following tasks will be undertaken to characterize existing environmental conditions:

- *Compile and interpret information from defined background sources including:*
 - *Surface water reports from previous EA and annual monitoring reports;*
 - *Topographic mapping and aerial photography to define drainage network and drainage watersheds/sub-watersheds, discharge locations; and*
 - *Published sources (annual reports, MOE, Environment Canada, Conservation Authority) to characterize water quality and stream flow.*

1. *During the EA, and following approval of work plans by the GRT, the project team will collect further information and conduct studies (desktop and field) to describe components and sub-components of the environment identified in the ToR that may be affected by the undertaking (Approved ToR, Section 7.4, p. 41)*



- *Conduct site reconnaissance to confirm the information from available sources;*
- *Establish surface water flow and water quality monitoring station locations and monitoring program to obtain representative information;*
- *Summarize existing surface water flow and quality representative of conditions upstream and downstream of proposed new landfill expansion alternatives; and*
- *Using a hydrological model, calculate surface water runoff and peak flows in the area of the proposed expansion under existing conditions, using design storms as set out in Ont. Reg. 232/98.*

1.1 Documentation

The results of these individual studies will be documented in separate stand-alone technical memorandums during the EA. The final Existing Conditions will form a chapter of the EA Report with each of the stand-alone memorandums becoming supporting documents/appendices to the EA Report.

1.2 Surface Water Study Team

The Surface Water study team consisted of AECOM staff. The actual individuals and their specific roles are provided as follows:

- **Paul Frigon**, P.Eng. – Senior Project Engineer
- **Chris O'Donnell**, EIT – Junior Project Engineer
- **Joe Puopolo**, P.Eng. – QA/QC

2. The Study Area

The existing landfill site and proposed expansion area is situated adjacent to the south tributary of the Huntley Creek subwatershed of the Carp River and its location is illustrated on **Figure 1** and **Figure 2**. The subwatershed area is relatively flat with a significant amount of wetland and scattered agricultural use as well as ongoing estate-lot residential development.

The south tributary has a limited drainage area with a headwater area generally defined to the west and south by Highway 417, to the north by Cavanmore Road and to the east by the Carp Road. Local drainage patterns are somewhat undefined and are characterized by large wetland areas, especially in the vicinity of the landfill site (as discussed in **Section 4.1**), that have



significant storage potential. Depending on the magnitude of rainfall, flow from these locations may or may not be realized on adjacent lands and at the landfill site.

A portion of the existing landfill site was a former gravel pit and has relatively permeable, silty-sandy soils. Municipal water supply in adjacent built-up areas to the south (Ottawa – Stittsville) and east (Ottawa-Kanata) is from the Ottawa River at the Britannia intake while water supply for a built up area to the north (Ottawa-Carp) is from local municipal wells.

In accordance with the approved ToR, the generic On-Site and Site-Vicinity Study Areas for the proposed new landfill footprint at the WCEC are listed below:

- On-Site** the lands owned or optioned by WM and required for the new landfill. The Site is bounded by Highway 417, Carp Road and Richardson Sideroad;
- Site-Vicinity** the lands in the vicinity of the site extending about 500 m in all directions; and,
- Regional** the lands within approximately 3 to 5 kilometres (km) of the Site.

The above noted descriptions were presented in the approved ToR with the commitment that these generic Study Areas have been modified to suit the requirements of the Surface Water component.

The Regional surface water context is provided on **Figure 1** as derived from supporting documentation provided as part of the Carp River Restoration EA. It illustrates the WM site location within the context of the Huntley Creek subwatershed and its relationship to the Carp River.

The On-site Study Area for surface water is indicated on **Figure 2** and illustrates the existing operational landfill footprint as well as those lands being considered for expansion. The Site-Vicinity Study Area is also illustrated on **Figure 2** and includes all lands bounded by Highway 417, Richardson Sideroad and Carp Road including all lands owned or optioned by WM as well as adjacent off-site drainage areas.



3. Methodology

Information on existing surface water conditions at the existing WM Ottawa landfill site and vicinity was gathered from a combination of field investigations, research of existing documents and agency consultation. Site specific field investigations were conducted in 2006 and 2011 as discussed in this report.

3.1 Available Secondary Source Information Collection and Review

Available secondary sources of information were collected and reviewed by the Study Team in order to determine the existing surface water conditions within the Study Area(s). The following sources of secondary information were collected and reviewed:

- Development and Operations Report - Laidlaw Waste Systems (Ottawa) Ltd. – West Carleton Landfill Site (HPE 1994)
- Development and Operations Update Report - Canadian Waste Services Inc. – Ottawa Landfill Site (HPE 2002)
- Development and Operations Update Report (revised) - Canadian Waste Services Inc. – Ottawa Landfill Site (HPE 2003)
- Carp River Subwatershed Study (AJR 2004)
- Carp River Restoration EA (TSH 2006)
- Post-Development Flow Characteristics and Flood Level Analysis for Carp River, Feedmill Creek and Poole Creek – (CH2MHill 2006)
- Annual Report – Waste Management Ottawa Landfill (WESA 2003 through 2010 inclusive)
- Proposed Assessment Report – Mississippi Valley Source Protection Area (RVCA-MVC 2010)
- Natural Environment Baseline Conditions Report (AECOM 2011)

3.2 Process Undertaken

The following outlines the process followed to determine existing surface water conditions.

- Information was compiled and interpreted from the secondary source information.
- Site reconnaissance identified, to the extent possible, existing drainage patterns; although this is difficult given the headwater and wetland nature of adjacent and upstream lands.



- Previous surface water flow and water quality monitoring station locations were identified and additional surface water quantity and quality monitoring is proposed to obtain further representative information.
- Existing surface water flow upstream and downstream of the area being considered for a new landfill expansion has been estimated using modelling tools.
- Surface water runoff and peak flows in the area of the proposed expansion under existing conditions have been estimated using design storms as set out in Ont. Reg. 232/98.
- Potential need for a source protection plan for municipal groundwater use has been reviewed.

4. Existing Surface Water Conditions

4.1 Surface Water Features

Current drainage patterns at the site and vicinity have been delineated on **Figure 2** based on topographic mapping and site reconnaissance. Twenty-two (22) catchments have been identified, that contribute flow to the south tributary of Huntley Creek at the crossing located south of the intersection of Carp Road and Richardson Sideroad. The remaining drainage area for the south tributary, upstream of Richardson Sideroad, has not been formally identified but is likely constrained to the west by Highway 417 and to the north by Cavanmore Road.

Surface runoff from these drainage areas are conveyed by either small natural streams or roadside ditches. Roadway crossings along William Mooney Road, Richardson Sideroad and Carp Road typically comprise corrugated steel pipes (CSP) or small concrete box structures as identified in photos included in **Appendix A**.

4.1.1 Water Quantity

The existing condition surface drainage patterns, as shown on **Figure 2**, include those identified in the existing landfill design and operations plan and consider existing stormwater management (SWM) practices. In general, surface drainage from four overall catchments comprising the existing operational site are confined to on-site retention and groundwater recharge in the form of two constructed SWM facilities as well as two locally depressed areas that collect surface runoff with no off-site discharge except through evaporation or infiltration to groundwater. These areas are identified on **Figure 2** and summarized below:



- Catchments 1 and 4 draining to SWM Facility #1;
- Catchment 3 draining to Depression #2;
- Catchments 2A and 2B draining to SWM Facility #2; and,
- Catchments 5 and 6 draining to the natural depressions identified as Depression Area “#1” and “#2” respectively.

Currently, Catchment #2B drains non-landfill areas of the site and drainage conditions may be influenced not only by increased runoff from recent (2005) MTO Highway 417 widenings and roadway re-configuration south and west of the site, but also by the cutoff of natural drainage to William Mooney Road ditches and tributaries of Huntley Creek, to the northwest, by a new landfill access ramp at the southwest corner of the operational footprint. Based on local topography, as shown on **Figure 2**, it appears that the existing site (Catchment 2B) receives drainage from Highway 417 (Catchment 19). Recent construction of the interchange may have increased peak flows and runoff volume contributing to the site.

The area to the north and immediately east and west of the current operation is characterised by eleven drainage areas, identified as Catchments 7 through 17 on **Figure 2**, and are summarized below:

- Catchments 9, 11 and 12 drain north through small tributaries to Huntley Creek via the Richardson Sideroad south ditch;
- Surface drainage from Catchments 10, 13, and 14 is conveyed to self-contained low lying areas noted on **Figure 2** as “Depression #3”, “Depression #4” and “Depression #5” respectively; and,
- Catchments 7 and 8 as well as 15, 16 and 17 drain to roadside ditches along William Mooney Road and Carp Road.

Catchments 20 and 21 are located adjacent to Highway 417 and, based on current topographic mapping and field observations carried out during periods of high flow (June 25, 2011 – 75mm rainfall), it is likely that they eventually drain north to Catchment 18: during low flow rainfall events, the existing wetland areas may attenuate runoff; under higher runoff events, general topography and site investigations indicate that flows would be directed to Catchment 18.

Existing condition peak flow estimates for the Study Area were determined using the SWMHYMO computer program. The model’s NASHYD subroutine was used to represent the predominantly pervious land cover ($I_a=1.5$ mm) within the Study Area. Runoff Curve Numbers (CN) ranging from 60 to 78 (AMC II) were selected based on a Hydrologic Soil Group (HSG) B with land use conditions ranging from woodland to agriculture (i.e., row crop) with existing landfill areas considered to maintain a land use equivalent to “Open Pasture”.



A summary of SWMHYMO model input parameters and resultant 5-year and 100-year return period peak flows, determined using an SCS Type II 24 hour rainfall distribution, have been summarized in **Table 1**. The table includes catchment flows as well as flows at points of interest as identified in **Figure 2**.

Table 1. Summary of 5-Year and 100-Year Peak Flow Estimates

Catchment / Flow Point (Refer to Figure 2)	Area (ha)	Time to Peak Tp (hrs)	SCS Curve Number CN (AMC II)	Landuse	Peak Flow Estimates- Q (m ³ /s)	
					5 year	100 year
1	12.8	0.39	58	Landfill	0.306	0.756
2a	7.5	0.46	58	Landfill	0.160	0.393
2b	34.5	0.41	58	Landfill	0.787	1.944
3	10.7	0.21	58	Landfill	0.408	1.003
4	9.0	0.35	58	Landfill	0.236	0.580
5	10.3	0.10	60	Woods	0.642	1.546
6	10.9	0.07	60	Woods	0.721	1.733
7	13.2	0.45	78	Rowcrops	0.545	1.186
8	11.9	0.42	60	Woods	0.284	0.693
9	14.7	0.30	78	Rowcrops	0.810	1.758
10	14.4	0.43	58	Meadow	0.318	0.782
11	21.1	0.31	58	Meadow	0.598	1.470
12	29.4	0.58	60	Woods	0.565	1.375
13	10.1	0.19	58	Meadow	0.420	1.032
14	12.1	0.15	58	Meadow	0.596	1.457
15	7.9	0.35	58	Meadow	0.207	0.510
16	5.7	0.24	60	Woods	0.203	0.497
17	2.0	0.42	74	Farmstead	0.075	0.170
18	73.9	0.83	78	Rowcrops	1.970	4.303
19	9.5	0.36	60	Woods	0.260	0.634
20	134.6	0.91	60	Woods	1.870	4.555
21	29.8	0.40	59	Woods/Meadow	0.719	1.768
22	53.7	0.96	59	Woods/Meadow	0.693	1.697
A ₁ CarpRdDitch	15.6	--	--	Mixed	0.469	1.131
A	397.9	--	--	Mixed	7.203	16.852
C	251.5	0.8	78	Rowcrops	4.684	10.798
G	13.2	0.4534	78	Rowcrops	0.545	1.186
H	21.1	0.31	58.00	Meadow	0.598	1.470

Notes: 1. CN value for existing landfill area utilize value equivalent to "Open Pasture".
2. Peak flow estimates based on SCS Type II 24 hour storm event rainfall.

A surface water flow monitoring program was undertaken in 2006 with results reported in the *Natural Environment Baseline Conditions Report (AECOM 2011)*. Additional flow monitoring was undertaken in the late Summer and Fall of 2011. All monitoring locations are identified in **Figure 3**. Flow was derived from velocity estimates obtained using a GlobalWater meter and applied to the representative area of the stream. The results suggest that there is typically little



or no flow at the William Mooney Road culvert in the southwest corner of the existing site, and at the Carp Road culvert to the northwest of the site (Sites G, C and A - **Figure 2** and **Figure 3**). However, continuous flow (1-2 L/s) was observed at site J throughout the Summer/Fall monitoring period in 2011, during which time every other site had no flow, including Site A less than 1 km upstream. This suggests that, for this reach, there may either be some groundwater discharge area or pumping from a quarry that has intercepted the water table. Except during Springmelt, there is little to no flow in South Huntley Creek for most of the year.

With regard to any potential assimilative capacity of nearby streams and rivers, supporting documentation for the Carp River restoration project (*Post-Development Flow Characteristics and Flood Level Analysis for Carp River, Feedmill Creek and Poole Creek – CH2MHill 2006*) identifies 2-year peak flows for the Carp River at Highway 417, Richardson Sideroad and Huntmar Road of 8.6 m³/s, 8.3 m³/s and 11.7 m³/s, respectively. Notwithstanding these flow magnitudes for given Return Periods, the report notes that there are extensive periods during the summer when flows at these sites are minimal and there is no sustained baseflow. During the 2006 monitoring program noted above, flows ranging from 0.001 m³/s to 0.114 m³/s were recorded in South Huntley Creek at Site A (refer to **Figure 2**) and from 0.012 m³/s to 0.109 m³/s at Richardson Sideroad west of Carp Road and downstream of M-Con Products Inc. In 2011, there was no sustained baseflow at these sites over a three month monitoring period.

4.1.2 Water Quality

4.1.2.1 Background

Surface runoff from the landfill and on-site service roadways generally does not discharge off-site. Runoff is directed to stormwater management (SWM) facilities where collected surface water either evaporates or recharges to groundwater. An exception is the southwest corner of the landfill site where the site currently drains west to William Mooney Road. A proposed transfer station and construction and demolition materials recovery pad located in this area of the site will re-direct stormwater to a site specific storage/recharge facility.

The original water quality monitoring program for surface water included both on-site and off-site sampling locations relating to the Annual Reports (WESA 2003 through 2010). The relevant sites are identified in **Figure 3**. Detailed results for this monitoring program can be found in the annual report series: *Annual Report – Waste Management Ottawa Landfill (WESA 2003 through 2010)* and in **Appendix B** which contains detailed summaries of on- and off-site surface water monitoring results, including the baseline monitoring mentioned in the next section.

Surface water monitoring at additional offsite locations was undertaken in 2006 and 2011 to identify baseline water quality conditions. The results from these surveys have been



summarised for water quality field parameters including pH, temperature, conductivity, and dissolved oxygen and assessment criteria parameters as identified in Table A and Table B in *Technical Guidance Document - Monitoring and Reporting for WDS - Ground and Surface Water (MOE 2010 – see Appendix B)*. **Table 2** summarises the results for the additional offsite locations monitored in 2006 and 2011.

The on-site surface water monitoring was undertaken for several years in the vicinity of the SWM ponds, at sites S6, S8, S17 and “POND” but was discontinued in 2008 given that surface water does not discharge off-site from the SWM facilities. A review of the parameter values summarised in **Appendix B** suggest that onsite SWM runoff is not impacted by waste or waste management activities: typically the values for surface water parameters do not exceed Provincial Water Quality Objectives (PWQO). Accordingly, the site Environmental Monitoring Plan (EMP) was revised to reflect the reduced monitoring and focused on potential down-gradient groundwater impacts and monitoring. This included monitoring in the Highway 417 north ditch which is believed to intercept the groundwater table.

Current surface water monitoring sites located along the Highway 417 north ditch east of Carp Road include S1, S3 and S10 as identified in **Figure 2** and **Figure 3** and drain to Feedmill Creek. Sampling is conducted on a semi-annual basis (Spring and Fall).

The 2010 surface water quality monitoring results, as reported in the 2010 Annual Report, suggest continued improvements in water quality subsequent to the start of the purge well system operations but notes PWQO exceedances along the Highway 417 drainage ditch for both Boron and Iron. However, the report indicates that Iron is not an Assessment Parameter for the landfill site and that the drainage ditch receives additional runoff from Highway 417 and other potential sources, including truck traffic and quarry activities that may be contributing to the observed concentrations of both Boron and Iron.

4.1.2.2 Baseline Water Quality Monitoring

Baseline surface water quality samples from Huntley Creek, South Huntley Creek and its tributaries were collected by AECOM three times in 2006 and three times in 2011 to provide a baseline for future landfill activities.

In 2006, samples were taken at Sites G, C, A and J as shown on **Figure 2** and **Figure 3**. Site G was not flowing (hence not sampled) during the July sampling event and Site C was not sampled during the April sampling event. Only Sites G and C were sampled during the October sampling event. The spring sample was taken on April 11, 2006 after more than three days without rain. The second sample was taken on July 26, 2006 immediately after a 32 mm rain event. The third sample was taken on October 24, 2006 during a rain event and after several weeks of wet



weather. Results of the water quality sampling are presented in **Table 2** for MOE assessment criteria parameters and in detail in **Appendix B**.

In 2011, samples were again taken at sites G, C, A and J as well as at a new site, K, on the main branch upstream of the confluence with South Huntley Creek. Site K is likely the only surface water monitoring site that reflects runoff from a relatively undisturbed “natural” upstream drainage area. The samples collected in September reflect baseflow conditions while the October samples were the result of runoff from an extended period of rainfall. Again, results for MOE assessment criteria parameters are summarised in **Table 2**.

The results were compared to the PWQO (MOE 1994). PWQOs are a set of guidelines used for the management of the province’s water resources. During the sampling periods, and for all sites, MOE assessment criteria parameters were below their PWQO except for one occurrence of Boron and two for Iron.

Of note, from the detailed results in 2006 as reported in **Appendix B** and that were not MOE assessment criteria parameters:

- *E. coli* exceeded the guideline in all samples and nutrient levels are high, both of which can be attributed to upstream agricultural activity. The presence of cattle from local dairy farming operations and local wildlife sources, including waterfowl and beaver/muskrat, could be major sources of any *E.coli* found within surface water in the vicinity of the existing landfill. As well, local residential septic systems could be a contributing factor if they were not performing to specification.
- Site J showed PWQO exceedances. During the April sampling event, Total Phosphorus and Aluminum were above their respective PWQO. In addition, Ammonia, Magnesium, and Zinc were higher than their upstream counterparts. During the July sampling event, Total Phosphorus and Aluminum were again above their respective PWQO. In addition, Ammonia, Magnesium and *E. coli* were higher than their upstream counterparts. The samples do not reflect signature characteristics of leachate contamination and, therefore, the elevated metal levels are assumed to be a function of the activities of industrial land uses in the area, including truck traffic. If necessary, this could be re-confirmed by reviewing leachate composition at the site and degree of leachate capture by internal treatment systems and comparing these results to the ditch samples. The potential for debris and airborne contamination from the landfill to impact runoff in other catchments is minimal, as the landfill is regularly covered and screens are employed during operations on windy days.



Table 2. Surface Water – Water Quality Results, 2006 and 2011

Sample ID:	Type:	Field				Lab																		
	PARAMETER:	Temperature	pH	Conductivity	Dissolved Oxygen	Arsenic	Barium	Boron	Cadmium	Chloride	Chromium	Copper	Iron	Lead	N-NH3 (Ammonia)	N-NH3 (unionized)	N-NO2 (Nitrite)	N-NO3 (Nitrate)	pH	Phenols	Total Dissolved Solids	Total Suspended Solids	Zinc	
	UNITS:	°C	-	mS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	PWQO:	--	6.5-8.5	--	--	0.1	--	0.2	0.0002	0	0	0.005	0.3	0.005	--	0.02	--	--	6.5-8.5	0.001	--	0.00	0.03	
	Detection Limit:	0.5	0.01	--	0.01	0.001	0.01	0.01	0.0001	1	0.001	0.001	0.03	0.001	0.02	0.02	0.1	0.1		0.001	1	2	0.01	
Sample Date																								
Site A	2011-10-20	11.5	6.95	482	6.5	<0.001	0.05	--	<0.0001	62	<0.001	0	--	--	0.04	<0.02	<0.10	0.16	--	--	241	22	0	
Site A	2006-11-04	11.7	8.08	670	12.27	ND	0.061	0.012	ND	112	ND	0.001	0.06	ND	ND	-	ND	0.50	8.30	--	503	1.00	ND	
Site A	2006-07-06	21.3	-	965	8.9	ND	0.11	0.038	ND	138	ND	0.001	0.10	ND	0.05	0.00	ND	ND	8.30	--	707	ND	0.01	
Site C	2011-10-20	12.1	7.41	762	3.9	<0.05	0.11	--	<0.01	86	<0.05	0	--	--	0.42	<0.02	<0.10	7.73	--	--	381	54	<0.05	
Site C	2006-10-24	--	--	--	--	ND	0.075	0.04	ND	163	ND	0.002	0.17	ND	0.20	0.02	ND	1.60	8.10	--	--	10.00	ND	
Site G	2006-11-04	18.3	7.72	976	10.25	ND	0.059	0.022	ND	127	ND	0.001	ND	ND	ND	--	ND	0.70	8.30	--	551	ND	ND	
Site G	2006-10-24	--	--	--	--	0.002	0.1	0.63	0.0002	193	ND	0.017	0.91	0.0035	9.73	1.00	0.29	2.50	8.00	--	--	2.00	0.02	
Site C	2006-07-06	25.8	--	960	10.7	ND	0.084	0.03	ND	170	ND	0.002	0.27	ND	0.11	0.01	0.04	0.20	8.30	--	664	1.00	0.009	
Site J	2011-10-20	12.7	7.73	693	6.1	<0.001	0.06	--	<0.0001	89	0.001	0.002	--	--	0	<0.02	<0.10	0.67	--	--	346	20	<0.01	
Site J	2011-09-30	16	7.89	1193	8.2	<0.001	0.12	0.12	<0.0001	166	0.004	0.001	<0.03	<0.001	<0.02	<0.02	<0.10	0.31	8.04	<0.001	596	<2	<0.01	
Site J	2011-09-27	19.2	7.98	1200	8.9	<0.001	0.13	0.15	<0.0001	174	0.003	<0.001	<0.03	<0.001	0.02	<0.02	<0.10	0.66	8.19	<0.001	597	<2	<0.01	
Site J	2006-11-04	11.5	8.13	739	13.21	0.001	0.077	0.084	ND	116	ND	0.005	0.27	0.0013	0.41	0.01	0.05	0.50	8.30	--	672	ND	0.006	
Site J	2006-07-06	18.7	-	1019	6.9	ND	0.13	0.11	ND	133	ND	0.002	0.53	ND	0.17	0.01	0.04	1.10	8.10	--	754	ND	ND	
Site K	2011-10-20	11.1	6.96	432	7.6	<0.05	0.09	--	<0.01	76	<0.05	<0.01	--	--	<0.02	<0.02	<0.10	0.34	--	--	217	121	<0.05	
Site K	2011-09-30	18.2	7.89	1061	7.4	<0.001	0.12	0.02	<0.0001	200	0.004	<0.001	0.16	<0.001	0.07	<0.02	<0.10	0.12	8.03	<0.001	530	20	<0.01	
Site K (2006 Site)	2011-09-27	19.8	7.98	1164	8.4	<0.001	0.14	0.11	<0.0001	181	0.003	<0.001	0.06	<0.001	0.03	<0.02	<0.10	0.24	8.19	<0.001	587	<2	<0.01	
Notes											Detection limit for 2006 = 0.005			Detection limit for 2006 = 0.005										

-- Not Sampled

2011 =Field Reading

Exceeds PWQO

4.1.2.3 Water Quality Summary

Water quality in South Huntley Creek varied significantly between sites and sampling dates, generally reflecting local upstream land uses. Overall, water quality varied from poor to moderate influenced by nutrient enrichment and the presence of *E. coli*.

4.1.2.4 Source Protection Planning

A review of information obtained from the *Proposed Assessment Report – Mississippi Valley Source Protection Area (RVCA-MVC 2010)* confirms that the subject Study Area is located well south of the Village of Carp Wellhead Protection Zone (WHPZ). Further, a review of the Ottawa (Britannia) Intake Protection Zone (IPZ) Vulnerability Scoring map indicates that the Study Area is situated within the lowest scoring zone (3.6) and would therefore not be subject to any special source protection policies. Further details regarding Source Protection Planning are contained within the Geology/Hydrogeology Existing Conditions Report.

4.2 Stormwater Management Facilities

The existing surface water drainage system directs stormwater runoff to three SWM facilities (recharge ponds) with stormwater eventually being discharged to the overburden water table. The SWM facility volume is sized to handle the 5-year design event rainfall. The SWM facility areas were found to have silty-sand soils that are excellent for recharge ponds. The three recharge pond surface areas were determined by undertaking hydraulic calculations using the Hantush Analytical Model to ensure groundwater mounding was at or below the pond bottom elevations. A sedimentation cell was incorporated in front of the recharge ponds to minimize potential plugging of recharge areas.

The two constructed SWM facilities have emergency overflow spillways to prevent overtopping if the ponds are full or the design flow/volume is exceeded and will flow to lower site areas and pond or recharge at these lower elevations. Depressions #3/#4 and Depression #1 fulfil these functions for SWMF #1 and SWMF #2, respectively and have capacity to accommodate between 15 to 20 times the runoff from the 1:100 year rainfall event before capacity is exceeded. The third recharge pond was never constructed and existing Depression Area #2 currently fulfils the recharge function with a capacity that is over 20 times the runoff from the 1:100 year event.

This also implies a significant capacity to store the 1:100 Year Springmelt runoff whose volume would likely be in the order of 7 times the 1:100 year rainfall runoff implying the depression areas have storage capacity at 2 to 3 times the volume of a 1:100 Year Springmelt event.



Should these capacities ever be exceeded, which is unlikely, flow would be east overland to the Carp Road and/or north to South Huntley Creek.

5. Conclusions

The existing surface water regime does not pose any significant problems from a water quantity perspective, although there is some concern about drainage in the southeast quadrant and the observed potential to flood SWM Facility #2 and Depression #1. Drainage in the southwest quadrant should be investigated further in an effort to better define the catchment areas and the drainage patterns.

Drainage to/in Catchments 5, 6, 10, 13 and 14 have no natural outlet and current site runoff is directed to Catchments 5, 6 and 10.

Stormwater from the existing landfill site is generally managed on-site and not discharged.

Water quality in South Huntley Creek, when tested in 2006 and 2011, varied significantly between sites and sampling dates, generally reflecting local upstream land uses. Overall, water quality varied from poor to moderate.

6. Recommendations / Further Work

Ongoing surface water monitoring for both water quantity and quality is warranted to confirm flow and water quality conditions of South Huntley Creek and Huntley Creek, Main Branch.

Report Prepared By:

Chris O'Donnell, EIT
Junior Engineer

Report Reviewed By:


Paul Frigon, P.Eng.
Senior Project Engineer







Figures





Map Document: (P:\60191228\000-CADD\060 GIS WIP\MXD\Working\MXD\60191228\WatershedBoundary.mxd)
6/21/2011 11:45:00 PM




Legend

-  Huntley Creek Subwatershed
-  Project Study Area
-  Current Ottawa WMF Operations
-  Ontario Municipalities

Watercourses

-  Intermittent Stream
-  Permanent Stream



©2009 AECOM Canada Ltd. All Rights Reserved.
 This document is protected by copyright law and may not be used, reproduced or modified in any manner or for any purpose except with the written permission of AECOM Canada Ltd. ("AECOM") or a party to which its copyright has been assigned. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that uses, reproduces, modifies, or relies on this document without AECOM's express written consent.



Ottawa Waste Management Facility

Regional Context













June 2011
Project 60191228



Figure 1



LEGEND

-  Drainage Catchment
-  Flow Direction
-  Water Crossing
-  Flow Node
-  Low Point
-  Catchment ID
-  Drainage Area
-  Past Surface Water
-  Monitoring Site
-  Current Surface Water
-  Monitoring Site
-  Point of Interest

ISSUES / REVISIONS	
NO.	DATE

AECOM

AECOM Canada Ltd.
 300 Water Street, White, Ontario, Canada L1N 5Z2
 1.905.688.5585 1.905.688.0271

CLIENT

WASTE MANAGEMENT
 CANADA CORP.

PROJECT


WEST CARLETON
 ENVIRONMENTAL
 CENTRE

DRAWING

SURFACE WATER
 Source: Ottawa Landfill and
 Surrounding Area (2007)
 By Base Mapping

DRAWN BY:	CO	CHECKED BY:	PF	PROJECT NO.:	60191228
DESIGNED BY:	CO	APPROVED BY:	PF	DRAWING NO.:	
SCALE:	AS SHOWN	DATE:	NOV 2011	FIGURE 2	

Map Document: (P:\60191228\000-CADD\050 GIS WIP\MXD\Report\MXD\ExistingConditions\60191228\MonitoringStations.mxd)
 11/02/2011 - 2:11:47 PM



- Legend**
- Surface Water Monitoring Stations**
- ◆ AECOM - 2006
 - ◆ AECOM - 2011
 - ◆ S-WESA 2003 - 2007
 - ◆ S-WESA 2003 - 2010
 - On-site Study Area
 - Current Ottawa WMF Operations
 - Intermittent Stream
 - Permanent Stream

Basemapping from Ontario Ministry of Natural Resources
 Orthophotography: 2005, 2008 and 2010

1:15,000
 UTM Zone 17N, NAD 83

This drawing has been prepared for the use of AECOM's client and may not be used, reproduced or relied upon by third parties, except as agreed by AECOM and its client, as required by law or for use by governmental reviewing agencies. AECOM accepts no responsibility, and denies any liability whatsoever, to any party that modifies this drawing without AECOM's express written consent.

Waste Management of Canada Corporation
 West Carleton Environmental Centre

Monitoring Stations

November 2011
 Project 60191228

Figure 3



Appendix A

Site Photos






Carp Road (A)
looking northeast at upstream end



Carp Road (A)
looking east at downstream end



Richardson Side Road (B)
looking northwest – upstream



William Mooney Road (C)
looking west – upstream



Appendix B

Surface Water Quality - Monitoring Results



Appendix B-1

MOE Requirements for Surface Water Quality Assessment

TABLE A: Assessment Criteria for Waste Disposal Sites		
Parameter	Value (mg/L)	Source
Phenol	0.04	Lowest Observed Effect Concentration noted in Literature Review
Zinc	0.089	Aquatic Protection Value*
Chloride	180	Suggested value, Standards Development Branch, MOE
Un-ionized Ammonia	0.100	US EPA studies
Sulphate (mg/L)	100	British Columbia guideline
pH	6.0-9.0	Canadian Water Quality Guideline
Arsenic	0.150	Aquatic Protection Value*
Barium	2.300	Aquatic Protection Value*
Boron	3.550	Aquatic Protection Value*
Cadmium	0.00021	Aquatic Protection Value*
Chromium (total)	0.064	Aquatic Protection Value*
Copper	0.0069	Aquatic Protection Value*
Iron	1.000	US EPA Criterion
Lead	0.002	Aquatic Protection Value*

***Source:** Aquatic Protection Value from MOE (2009) "Rationale for the Development of Soil and Groundwater Standards for use at Contaminated Sites in Ontario), Table 3.1". Aquatic Protection Values (APVs) represent the lowest chronic adverse effects level from the literature for each of the parameters that are listed. The APVs that are listed in Table 3.1 are concentrations above which chronic adverse effects on aquatic species have been observed (this means that no dilution has occurred at the point of comparison).

Note: Additional trigger parameters may be added based on site-specific conditions. An appropriate trigger level concentration will need to be determined for each parameter and implemented into the monitoring program.

Table B: Alternative Review Criteria	
Source : Canadian Water Quality Guideline	
Parameter	Value (mg/L)
Phenol	.004
Chloride (proposed)	128
Boron	1.50
Cadmium (interim)	0.000017
Nitrate-nitrogen	2.9
Nitrite-nitrogen	.06
Zinc	.030

Measurement Type:		Field				Lab													
Parameter	Temp.	pH	Conductivity	Dissolved Oxygen	Alkalinity (as CaCO3)	Aluminum (Al)	Antimony (Sb)	Arsenic	Barium	Beryllium (Be)	BOD5	Boron	Cadmium	Calcium (Ca)	Chloride	Chromium	Cobalt (Co)	Conductivity	
Units	°C	-	mS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	
Detecion Limit					1	0.005	0.001	0.001	0.01	0.0005	2	0.01	0.0001	0.2	1	0.001	0.0005	2	
PWQO	--	6.5-8.5	--	--	--	0.075	0.02	0.1	--	1.1	--	0.2	0.0002	--	0	0	0.0009	--	
Sample ID:	Sample Date:																		
Site A	2006-11-04	11.7	8.08	670	12.27	214	0.028	--	ND	0.061	ND	ND	0.012	ND	0.093	112	ND	ND	778
Site A	2006-07-06	21.3	-	965	8.9	310	0.033	--	ND	0.11	ND	--	0.038	ND	0.13	138	ND	ND	1060
Site C	2006-10-24	--	--	--	--	257	0.11	--	ND	0.075	ND	--	0.04	ND	0.12	163	ND	ND	1070
Site C	2006-07-06	25.8	--	960	10.7	277	0.076	--	ND	0.084	ND	--	0.03	ND	0.12	170	ND	ND	1030
Site G	2006-11-04	18.3	7.72	976	10.25	208	0.032	--	ND	0.059	ND	ND	0.022	ND	0.098	127	ND	ND	875
Site G	2006-10-24	--	--	--	--	548	0.25	0.002	0.002	0.1	ND	--	0.63	0.0002	0.28	193	ND	0.0039	2230
Site J	2006-11-04	11.5	8.13	739	13.21	366	0.12	--	0.001	0.077	ND	ND	0.084	ND	0.15	116	ND	0.0005	1050
Site J	2006-07-06	18.7	-	1019	6.9	246	0.23	--	ND	0.13	ND	--	0.11	ND	0.13	133	ND	0.0006	1130

Measurement Type:		Lab																		
Parameter	Copper	Dissolved Calcium (Ca)	Dissolved Magnesium (Mg)	Dissolved Organic Carbon	Dissolved Potassium (K)	Dissolved Sodium (Na)	Escherichia coli	Hardness (CaCO3)	Iron	Lead	Magnesium (Mg)	Manganese (Mn)	Molybdenum (Mo)	Nickel (Ni)	N-NH3 (Ammonia)	N-NH3 (unionized)	N-NO2 (Nitrite)	N-NO3 (Nitrate)	Total Organic Carbon (TOC)	
Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	CFU/100 mL	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Detecion Limit	0.001	0.05	0.05	0.1	1	0.5	10	1	0.03	0.001	0.05	0.002	0.001	0.001	0.02	0.02	0.1	0.1	0.1	
PWQO	0.005	--	--	--	--	--	100	--	0.3	0.005	--	--	0.04	0.025	--	0.02	--	--	--	
Sample ID:	Sample Date:																			
Site A	2006-11-04	0.001	86.4	9.82	7.3	2	66.1	-	260	0.06	ND	12	0.012	ND	ND	ND	-	ND	0.50	8.2
Site A	2006-07-06	0.001	123	18.6	11.7	4	63.8	980	380	0.10	ND	21	0.018	ND	ND	0.05	0.00	ND	ND	12.6
Site C	2006-10-24	0.002	104	9.79	--	3	94.6	740	300	0.17	ND	11	0.02	ND	ND	0.20	0.02	ND	1.60	13.2
Site C	2006-07-06	0.002	105	7.39	20.2	5	92.8	5900	290	0.27	ND	8.7	0.032	ND	ND	0.11	0.01	0.04	0.20	20.6
Site G	2006-11-04	0.001	93.2	13.5	5.3	4	72.2	--	290	ND	ND	15	0.015	0.001	0.002	ND	--	ND	0.70	5.7
Site G	2006-10-24	0.017	257	59.4	--	25	127	>20,000	890	0.91	0.0035	68	0.81	0.014	0.019	9.73	1.00	0.29	2.50	50
Site J	2006-11-04	0.005	135	22.8	10.4	4	53.6	-	430	0.27	0.0013	28	0.12	0.003	0.003	0.41	0.01	0.05	0.50	11.4
Site J	2006-07-06	0.002	116	24.8	4.1	6	77.3	3100	390	0.53	ND	28	0.17	0.003	0.005	0.17	0.01	0.04	1.10	4.2

Exceeds
PWQO

-- Not Sampled

Measurement Type:		Lab																		
Parameter	Orthophosphate (P)	pH	Phenols	Phosphorus	Potassium (K)	Selenium (Se)	Silicon (Si)	Silver (Ag)	Sodium (Na)	Sulphate	Thallium (Tl)	Total Dissolved Solids	Total Suspended Solids	Tungsten (W)	Turbidity	Uranium (U)	Vanadium (V)	Zinc	Zirconium (Zr)	
Units	mg/L		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	NTU	mg/L	mg/L	mg/L	mg/L	
Detecion Limit	0.01		0.001	0.002	0.2	0.002	0.05	0.0005	0.1	1	0.00005	1	2	0.001	0.1	0.0001	0.001	0.01	0.001	
PWQO	--	6.5-8.5	0.001	0.03	--	0.1	--	0.0001	--	--	0.0003	--	0.00	0.03	--	0.005	0.006	0.03	0.004	
Sample ID:	Sample Date:																			
Site A	2006-11-04	0.01	8.30	--	0.012	2	ND	1.5	ND	66	33.00	ND	503	1.00	ND	0.5	0.0014	ND	ND	ND
Site A	2006-07-06	0.04	8.30	--	0.044	4	ND	6.5	ND	69	84.00	ND	707	ND	ND	1	0.0017	0.001	0.01	ND
Site C	2006-10-24	0.03	8.10	--	0.031	3.7	ND	3.7	ND	110	58.00	ND	--	10.00	ND	1.6	0.0012	0.001	ND	ND
Site C	2006-07-06	0.06	8.30	--	0.069	5.4	ND	4.1	ND	100	25.00	ND	664	1.00	ND	1.9	0.0007	0.002	0.009	ND
Site G	2006-11-04	ND	8.30	--	0.007	3.2	ND	2	ND	70	72.00	ND	551	ND	ND	1.1	0.0016	ND	ND	ND
Site G	2006-10-24	ND	8.00	--	0.16	26	ND	6.7	0.0003	140	457.00	ND	--	2.00	ND	9.6	0.006	0.003	0.02	0.001
Site J	2006-11-04	0.02	8.30	--	0.037	4.3	ND	5.2	ND	59	67.00	ND	672	ND	ND	4.2	0.0026	0.002	0.006	ND
Site J	2006-07-06	ND	8.10	--	0.016	7.5	ND	4.7	ND	84	175.00	0.06	754	ND	ND	12	0.0021	ND	ND	ND

Exceeds
PWQO

-- Not Sampled

			Field																							
			Parameter	Temp.	pH	Conductivity	Dissolved Oxygen	Alkalinity (as CaCO3)	Aluminum (Al)	Antimony (Sb)	Arsenic	Barium	Beryllium (Be)	BOD5	Boron	Cadmium	Calcium (Ca)	Chloride	Chromium	Cobalt (Co)	Conductivity	Copper	Dissolved Calcium (Ca)	Dissolved Magnesium (Mg)	Dissolved Organic Carbon	
			Units	°C	-	mS/cm	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mS/cm	mg/L	mg/L	mg/L	mg/L
Sample ID:	Sample Date:	LAB ID:	Detecion Limit					1	0.005	0.001	0.001	0.01	0.0005	2	0.01	0.0001	0.2	1	0.001	0.0005	2	0.001	0.05	0.05	0.1	
PWQO		--		--	6.5-8.5	--	--	--	0.075	0.02	0.1	--	1.1	--	0.2	0.0002	--	0	0	0.0009	--	0.005	--	--	--	
Site A	2006-11-04	--		11.7	8.08	670	12.27	214	0.028	--	ND	0.061	ND	ND	0.012	ND	0.093	112	ND	ND	778	0.001	86.4	9.82	7.3	
Site A	2006-07-06	--		21.3	-	965	8.9	310	0.033	--	ND	0.11	ND	--	0.038	ND	0.13	138	ND	ND	1060	0.001	123	18.6	11.7	
Site C	2006-10-24	--		--	--	--	--	257	0.11	--	ND	0.075	ND	--	0.04	ND	0.12	163	ND	ND	1070	0.002	104	9.79	--	
Site C	2006-07-06	--		25.8	--	960	10.7	277	0.076	--	ND	0.084	ND	--	0.03	ND	0.12	170	ND	ND	1030	0.002	105	7.39	20.2	
Site G	2006-11-04	--		18.3	7.72	976	10.25	208	0.032	--	ND	0.059	ND	ND	0.022	ND	0.098	127	ND	ND	875	0.001	93.2	13.5	5.3	
Site G	2006-10-24	--		--	--	--	--	548	0.25	0.002	0.002	0.1	ND	--	0.63	0.0002	0.28	193	ND	0.0039	2230	0.017	257	59.4	--	
Site J	2006-11-04	--		11.5	8.13	739	13.21	366	0.12	--	0.001	0.077	ND	ND	0.084	ND	0.15	116	ND	0.0005	1050	0.005	135	22.8	10.4	
Site J	2006-07-06	--		18.7	-	1019	6.9	246	0.23	--	ND	0.13	ND	--	0.11	ND	0.13	133	ND	0.0006	1130	0.002	116	24.8	4.1	

			Field																			Lab																		
			Parameter	Dissolved Potassium (K)	Dissolved Sodium (Na)	Escherichia coli	Hardness (CaCO3)	Iron	Lead	Magnesium (Mg)	Manganese (Mn)	Molybdenum (Mo)	Nickel (Ni)	N-NH3 (Ammonia)	N-NH3 (unionized)	N-NO2 (Nitrite)	N-NO3 (Nitrate)	Total Organic Carbon (TOC)	Orthophosphate (P)	pH	Phenols	Phosphorus	Potassium (K)																	
			Units	mg/L	mg/L	CFU/100 mL	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L																	
Sample ID:	Sample Date:	LAB ID:	Detecion Limit	1	0.5	10	1	0.03	0.001	0.05	0.002	0.001	0.001	0.02	0.02	0.1	0.1	0.1	0.01		0.001	0.002	0.2																	
PWQO		--		--	--	100	--	0.3	0.005	--	--	0.04	0.025	--	0.02	--	--	--	--	6.5-8.5	0.001	0.03	--																	
Site A	2006-11-04	--		2	66.1	-	260	0.06	ND	12	0.012	ND	ND	ND	-	ND	0.50	8.2	0.01	8.30	--	0.012	2																	
Site A	2006-07-06	--		4	63.8	980	380	0.10	ND	21	0.018	ND	ND	0.05	0.00	ND	ND	12.6	0.04	8.30	--	0.044	4																	
Site C	2006-10-24	--		3	94.6	740	300	0.17	ND	11	0.02	ND	ND	0.20	0.02	ND	1.60	13.2	0.03	8.10	--	0.031	3.7																	
Site C	2006-07-06	--		5	92.8	5900	290	0.27	ND	8.7	0.032	ND	ND	0.11	0.01	0.04	0.20	20.6	0.06	8.30	--	0.069	5.4																	
Site G	2006-11-04	--		4	72.2	--	290	ND	ND	15	0.015	0.001	0.002	ND	--	ND	0.70	5.7	ND	8.30	--	0.007	3.2																	
Site G	2006-10-24	--		25	127	>20,000	890	0.91	0.0035	68	0.81	0.014	0.019	9.73	1.00	0.29	2.50	50	ND	8.00	--	0.16	26																	
Site J	2006-11-04	--		4	53.6	-	430	0.27	0.0013	28	0.12	0.003	0.003	0.41	0.01	0.05	0.50	11.4	0.02	8.30	--	0.037	4.3																	
Site J	2006-07-06	--		6	77.3	3100	390	0.53	ND	28	0.17	0.003	0.005	0.17	0.01	0.04	1.10	4.2	ND	8.10	--	0.016	7.5																	

			Field														
			Parameter	Selenium (Se)	Silicon (Si)	Silver (Ag)	Sodium (Na)	Sulphate	Thallium (Tl)	Total Dissolved Solids	Total Suspended Solids	Tungsten (W)	Turbidity	Uranium (U)	Vanadium (V)	Zinc	Zirconium (Zr)
			Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	NTU	mg/L	mg/L	mg/L	mg/L
Sample ID:	Sample Date:	LAB ID:	Detection Limit	0.002	0.05	0.0005	0.1	1	0.00005	1	2	0.001	0.1	0.0001	0.001	0.01	0.001
PWQO		--		0.1	--	0.0001	--	--	0.0003	--	0.00	0.03	--	0.005	0.006	0.03	0.004
Site A	2006-11-04	--		ND	1.5	ND	66	33.00	ND	503	1.00	ND	0.5	0.0014	ND	ND	ND
Site A	2006-07-06	--		ND	6.5	ND	69	84.00	ND	707	ND	ND	1	0.0017	0.001	0.01	ND
Site C	2006-10-24	--		ND	3.7	ND	110	58.00	ND	--	10.00	ND	1.6	0.0012	0.001	ND	ND
Site C	2006-07-06	--		ND	4.1	ND	100	25.00	ND	664	1.00	ND	1.9	0.0007	0.002	0.009	ND
Site G	2006-11-04	--		ND	2	ND	70	72.00	ND	551	ND	ND	1.1	0.0016	ND	ND	ND
Site G	2006-10-24	--		ND	6.7	0.0003	140	457.00	ND	--	2.00	ND	9.6	0.006	0.003	0.02	0.001
Site J	2006-11-04	--		ND	5.2	ND	59	67.00	ND	672	ND	ND	4.2	0.0026	0.002	0.006	ND
Site J	2006-07-06	--		ND	4.7	ND	84	175.00	0.06	754	ND	ND	12	0.0021	ND	ND	ND

TABLE 9: SURFACE WATER QUALITY (PIL, SIL)
Waste Management Ottawa Landfill

Location	Sample Date	Alkalinity mg/L	Ammonia mg/L	Un-ionized ammonia (mg/L)	Barium mg/L	Boron mg/L	Cadmium mg/L	Calcium mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Chromium (total) mg/L	Conductivity uS/cm	Cyanide (free) mg/L	Cyanide mg/L	Dissolved Organic Carbon mg/L	Hardness mg/L	Iron mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L	Nitrate mg/L	Nitrite mg/L	pH unitless	Potassium mg/L	Sodium mg/L	Sulphate mg/L	Total Dissolved Solids mg/L	Total Kjeldahl Nitrogen mg/L	
SI	01-Jun-00	417	14.4	0.037	0.62	0.36	< 0.00015	182	112	421	< 0.01	2300		< 0.02			74	< 0.002	33	0.95	0.87	< 0.1		26	264	173		14.4	
SI	22-Nov-00	524	15.4	0.024	0.43	0.39	< 0.005	205	92	464	< 0.01	2530		0.03			15.2	< 0.001	41	1.22	< 0.1	< 0.1		28	243	150		16.6	
SI	11-May-01	500	15.8	0.023	0.35	0.44	0.0002	177	41	464	0.002	2320		< 0.005			3.94	< 0.001	35	0.61	0.83	< 0.1		29	233	118		16.5	
SI FD	11-May-01	499	15.8	0.023	0.35	0.44	0.0002	179	44	462	0.002	2270		< 0.005			3.92	< 0.001	36	0.63	0.83	< 0.1		30	229	118		16	
SI	13-Nov-01	531	16.7	0.015	0.36	0.51	< 0.0001	193	54	509	0.002	2690		0.008			10.4	< 0.001	48	0.95	< 0.1	< 0.1		35	268	206		18.8	
SI	15-May-02	291	4.51	0.008	0.16	0.24	< 0.0001	145	22	399	< 0.001	2100		< 0.005			0.88	< 0.001	22	0.21	3.42	< 0.1		21	252	161		5.27	
SI	12-Nov-02	328	9.3	0.006	0.28	0.3	< 0.0001	172	20	552	< 0.005	2760		< 0.005			11.1	< 0.001	31	0.73	0.7	< 0.1		42	333	235		12.3	
SI	22-May-03	308	1.49	0.005	0.18	0.32	< 0.0001	183	21	794	< 0.005	2440		< 0.005			2.24	< 0.001	34	0.21	2.88	< 0.1		21	346	233		2.5	
SI	15-Aug-03		5.6	0.005																									
SI	05-Nov-03	419	5.45	0.028	0.32	0.29	< 0.0001	189	33	583	0.001	2910		< 0.005			15.7	< 0.001	33	0.82	0.25	< 0.1		28	367	177		8.15	
SI	22-Dec-03		6.01	0.012																									
SI	11-Feb-04		4.63	0.023																									
SI	30-Apr-04	373	5.1	0.018	0.35	0.29	< 0.0001	171	33	336	0.001	2090		< 0.005			15.8	< 0.001	33	0.95	0.18	< 0.1		18	230	205		6.56	
SI	08-Sep-04		3.75	0.007																									
SI	05-Nov-04	261	2.58	0.017	0.32	0.39	< 0.0001	104	19	372	0.015	2090		< 0.005			10.7	0.005	33	1.3	1.29	< 0.1		17	233	201		3.87	
SI	27-Apr-05	297	2.16	0.002	0.2	0.24	< 0.0001	134	19	345	< 0.001	1960		< 0.005			4.05	< 0.001	35	0.45	1.39	< 0.1		12	266	147		4.2	
SI	24-Aug-05		1.91	0.028																									
SI	28-Nov-05	372	3.39	0.005	0.26	0.31	< 0.0001	186	29	547	0.004	2680		< 0.005			10.9	< 0.001	36	1.17	1.42	< 0.1		16	296	129		4.49	
SI FD	28-Nov-05	373	3.27	0.005	0.25	0.26	< 0.0001	188	30	550	0.005	2710		< 0.005			10.9	< 0.001	37	1.16	1.5	< 0.1		16	299	131		4.75	
SI	26-Apr-06	379	2.56	0.004	0.24	0.33	< 0.0001	180	25	514	< 0.005	2610		< 0.005			2.54	< 0.001	34	0.45	1.26	< 0.1		13	282	174		3.95	
SI	29-Aug-06		1.34	0.008																									
SI	07-Nov-06	321	2.02	0.008	0.19	0.43	< 0.0001	161	28	536	0.006	2580		< 0.005			3.98	< 0.001	34	0.64	1	< 0.1		15	386	202		2.62	
SI	24-Apr-07	396	1.89	0.005	0.18	0.45	< 0.0001	158	23	389	0.008	2250		< 0.005			2.41	< 0.001	33	0.54	1	< 0.1		13	262	153		2.98	
SI	16-Aug-07		1.39	0.009																									
SI	27-Nov-07	286	1.71	0.001	0.16	0.32	< 0.0001	140	16	363	< 0.001	2140		< 0.005			6.04	< 0.001	30	0.61	0.68	< 0.1		13	247	216		2.1	
SI	23-May-08	338	1.35	0.006	0.2	0.43	< 0.0001	150	33	490	< 0.005	2520	< 0.002		7.7	520	1	< 0.0005	33	0.37	1.6	0.01	8	12	290	190	1510	2.6	
SI FD	23-May-08	339	1.34	0.006	0.2	0.42	< 0.0001	160	30	490	< 0.005	2530	< 0.002		7.9	520	2.8	< 0.0005	33	0.38	1.4	0.01	7.9	12	290	204	1520	3	
SI	19-Nov-08	331	2.91	0.003	0.25	0.52	< 0.0001	230	25	500	< 0.005	2810	< 0.002		7.1	660	11	0.0007	46	0.98	0.4	0.01	8	17	340	381	1840	3	
SI	29-Apr-09	311	1.19	0.005	0.23	0.49	< 0.0001	240	23	520	< 0.005	2670	0.002		8.1	510	5.2	0.0012	44	0.52	2.6	0.14	7.8	16	350	230	1760	2	
SI	29-Oct-09	344	2.82	0.009	0.24	0.49	< 0.0001	190	22	580	< 0.005	2970	< 0.002		8.9	590	5.8	< 0.0005	39	1	0.3	< 0.01	7.6	15	370	250	2000	3.5	
SI FD	29-Oct-09	342	2.71	0.009	0.24	0.46	< 0.0001	180	25	580	< 0.005	2970	< 0.002		8.1	570	5.6	< 0.0005	39	0.96	0.3	< 0.01	7.7	15	370	240	1900	3.2	
SI	28-Apr-10	332	1.16	0.004	0.24	0.4	< 0.0001	170	26	640	< 0.005	2900	< 0.002		8.5	520	1.4	< 0.0005	35	0.36	1.8	0.01	7.9	14	520	120	1830	2.1	
SI Dup	28-Apr-10	333	1.2	0.004	0.24	0.41	< 0.0001	180	26	630	< 0.005	2880	< 0.002		8.2	510	1.5	< 0.0005	36	0.38	1.7	0.02	8	14	430	140	1810	2.4	
SI	02-Nov-10	375	3.09	0.047*	0.3	0.46	< 0.0001	200	41	620	< 0.005	3070	< 0.002		8.6	580	8.6	< 0.0005	42	1.1	< 0.1	0.02	7.9	16	440	130	1950	4	
SI Dup	02-Nov-10	382	2.75	0.042#	0.29	0.42	0.0002	190	36	710	< 0.005	3200	< 0.002		9.1	550	7.4	< 0.0005	42	1.1	0.1	< 0.01	7.9	16	470	100	1980	3.9	

TABLE 9: SURFACE WATER QUALITY (PIL, SIL)
Waste Management Ottawa Landfill

Location	Sample Date	Alkalinity mg/L	Ammonia mg/L	Un-ionized ammonia (mg/L)	Barium mg/L	Boron mg/L	Cadmium mg/L	Calcium mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Chromium (total) mg/L	Conductivity uS/cm	Cyanide (free) mg/L	Cyanide mg/L	Dissolved Organic Carbon mg/L	Hardness mg/L	Iron mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L	Nitrate mg/L	Nitrite mg/L	pH unitless	Potassium mg/L	Sodium mg/L	Sulphate mg/L	Total Dissolved Solids mg/L	Total Kjeldahl Nitrogen mg/L	
S3	01-Jun-00	263	0.42	0.013	0.11	0.05	< 0.00015	112	44	172	< 0.01	1090		< 0.02			0.64	< 0.002	13	0.11	2.39	0.14		3	116	412		1.16	
S3	22-Nov-00	392	4.41	0.011	0.33	0.17	< 0.005	177	54	608	< 0.01	2550		< 0.005			1.8	< 0.001	31	1.07	0.62	< 0.1		15	335	79		4.89	
S3	11-May-01	445	2.48	0.011	0.4	0.19	0.0002	211	38	720	0.001	2760		< 0.005			1.81	< 0.001	38	1.1	1.59	< 0.1		15	330	124		2.31	
S3	13-Nov-01	247	5.75	0.017	0.15	0.33	< 0.0001	197	31	503	< 0.001	2420		< 0.005			0.4	< 0.001	42	0.25	4.5	< 0.1		26	253	298		5.89	
S3	15-May-02	225	0.89	0.004	0.1	0.07	< 0.0001	107	34	397	< 0.001	1890		< 0.005			0.27	< 0.001	13	0.06	0.8	< 0.1		4	279	94		1.5	
S3	12-Nov-02	404	1.84	0.001	0.29	0.13	< 0.0001	225	31	719	< 0.005	3260		< 0.005			2.58	< 0.001	31	0.7	0.56	< 0.1		27	409	176		2.64	
S3	22-May-03	358	1.25	0.010	0.27	0.18	< 0.0001	237	27	830	< 0.005	2970		< 0.005			1.56	< 0.001	39	0.77	2.03	< 0.1		15	410	200		1.7	
S3	15-Aug-03		1.07	0.002																									
S3	05-Nov-03	295	2.21	0.016	0.2	0.24	< 0.0001	169	28	498	0.002	2530		< 0.005			1.02	< 0.001	34	0.45	1.44	< 0.1		26	319	253		3.16	
S3	22-Dec-03		4.2	0.019																									
S3	30-Apr-04	264	0.45	0.002	0.17	0.12	< 0.0001	135	19	437	0.004	2100		< 0.005			0.33	< 0.001	20	0.22	0.93	< 0.1		8	272	117		1.06	
S3	08-Sep-04		0.25	0.002																									
S3	05-Nov-04	257	0.81	0.002	0.15	0.22	< 0.0001	131	28	533	0.002	2480		< 0.005			0.55	< 0.001	26	0.22	1.2	< 0.1		11	311	196		1.51	
S3	27-Apr-05	221	0.36	0.002	0.11	0.15	< 0.0001	226	21	440	< 0.001	2080		< 0.005			0.23	< 0.001	25	0.08	1.04	< 0.1		6	253	137		0.94	
S3	24-Aug-05		0.72	0.023																									
S3	28-Nov-05	339	1.83	0.002	0.18	0.23	< 0.001	189	26	698	< 0.005	3040		< 0.005			1.68	< 0.01	35	0.62	2.69	< 0.1		14	366	204		2.65	
S3	26-Apr-06	258	0.68	0.002	0.16	0.51	< 0.0001	141	15	592	< 0.005	2690		< 0.005			0.24	< 0.001	29	0.16	2.45	< 0.1		10	333	186		1.01	
S3	29-Aug-06		0.31	0.003																									
S3	07-Nov-06	388	0.44	0.002	0.23	0.23	< 0.0001	194	23	656	0.007	3040		< 0.005			1.84	< 0.001	32	0.7	1.43	< 0.1		12	473	175		1.15	
S3 FD	07-Nov-06	387	0.46	0.002	0.25	0.24	< 0.0001	193	26	686	0.006	3010		< 0.005			2.02	< 0.001	32	0.7	1.34	< 0.1		12	510	165		0.99	
S3	24-Apr-07	309	0.58	0.002	0.19	0.3	< 0.0001	155	24	550	0.009	2570		< 0.005			0.76	< 0.001	30	0.47	0.94	< 0.1		10	334	163		1.05	
S3	16-Aug-07		0.73	0.006																									
S3	27-Nov-07	378	0.72	<0.001	0.27	0.12	< 0.0001	170	23	837	0.001	3660		0.007			1.24	< 0.001	27	0.62	0.56	< 0.1		8	527	124		1.21	
S3	23-May-08	352	0.49	0.002	0.29	0.16	< 0.0001	160	31	690	< 0.005	3040	< 0.002		9.3	500	1.1	< 0.0005	25	0.59	0.6	0.02	8.1	6.9	400	131	1810	1.2	
S3	19-Nov-08	386	1.38	0.001	0.73	0.38	< 0.0001	180	67	590	< 0.005	2910	< 0.002		17.3	510	80	0.0008	31	1.7	0.8	0.02	8	10	370	207	1820	< 7	
S3	29-Apr-09	271	< 0.15	< 0.002	0.2	0.3	< 0.0001	160	29	660	< 0.005	2790	0.002		11.1	440	0.46	< 0.0005	24	0.16	0.3	0.01	8	4.9	420	100	1780	< 0.7	
S3	29-Oct-09	404	0.64	0.003	0.34	0.21	< 0.0001	200	30	750	< 0.005	3460	< 0.002		10.8	590	1.1	< 0.0005	33	0.69	0.7	0.02	7.9	11	500	170	2200	1.3	
S3	28-Apr-10	370	0.51	0.003	0.36	0.19	< 0.0001	210	27	820	< 0.005	3520	< 0.002		9.4	580	< 0.1	< 0.0005	33	0.67	0.6	0.03	8.1	9.2	590	140	2220	1.2	
S3	02-Nov-10	396	0.65	0.008*	0.3	0.2	< 0.0001	200	40	710	< 0.005	3350	< 0.002		9.5	590	0.95	< 0.0005	34	0.58	0.5	0.01	8	10	520	150	2020	1.4	

TABLE 9: SURFACE WATER QUALITY (PIL, SIL)
Waste Management Ottawa Landfill

CB2533 Tables 2010.xlsx

Location	Sample Date	Alkalinity mg/L	Ammonia mg/L	Un-ionized ammonia (mg/L)	Barium mg/L	Boron mg/L	Cadmium mg/L	Calcium mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Chromium (total) mg/L	Conductivity uS/cm	Cyanide (free) mg/L	Cyanide mg/L	Dissolved Organic Carbon mg/L	Hardness mg/L	Iron mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L	Nitrate mg/L	Nitrite mg/L	pH unitless	Potassium mg/L	Sodium mg/L	Sulphate mg/L	Total Dissolved Solids mg/L	Total Kjeldahl Nitrogen mg/L	
S10	11-May-01	428	1.03	0.017	0.37	0.18	0.0002	201	41	670	0.001	2880		< 0.005			0.51	< 0.001	36	0.83	2.53	< 0.1		14	349	136		1.78	
S10	13-Nov-01	268	5.05	0.023	0.16	0.3	< 0.0001	203	35	571	< 0.001	2580		< 0.005			0.08	< 0.001	45	0.2	4.2	< 0.1		24	279	279		5.28	
S10	15-May-02	224	0.7	0.003	0.11	0.07	< 0.0001	108	34	391	< 0.001	1880		< 0.005			0.3	< 0.001	14	0.07	0.84	< 0.1		5	260	105		1.68	
S10	12-Nov-02	402	1.34	0.002	0.26	0.12	< 0.0001	223	29	766	< 0.005	3390		< 0.005			0.36	< 0.001	30	0.54	0.64	< 0.1		26	456	166		2.3	
S10	22-May-03	348	0.12	0.002	0.24	0.16	< 0.0001	233	32	722	< 0.005	3060		< 0.005			0.34	< 0.001	37	0.36	2.17	< 0.1		16	439	188		0.87	
S10	15-Aug-03		0.07	< 0.001																									
S10	05-Nov-03	268	1.02	0.015	0.21	0.21	< 0.0001	173	36	545	0.005	2640		< 0.005			1.06	< 0.001	31	0.49	1.38	< 0.1		22	369	247		1.74	
S10	22-Dec-03		2.87	0.021																									
S10	30-Apr-04	269	0.21	0.002	0.16	0.12	< 0.0001	138	17	440	0.004	2170		< 0.005			0.2	< 0.001	21	0.16	1.06	< 0.1		8	292	115		0.82	
S10	08-Sep-04		0.06	0.001																									
S10	05-Nov-04	263	0.61	0.002	0.15	0.21	< 0.0001	137	27	552	0.002	2520		< 0.005			0.32	< 0.001	29	0.2	1.28	< 0.1		12	327	198		1.24	
S10	27-Apr-05	224	0.26	0.003	0.11	0.15	< 0.0001	223	18	432	< 0.001	2070		< 0.005			0.2	< 0.001	24	0.08	0.97	< 0.1		6	251	132		0.94	
S10	24-Aug-05		0.08	0.002																									
S10	28-Nov-05	331	1.44	0.004	0.17	0.21	< 0.001	187	31	704	< 0.005	3050		< 0.005			1.14	< 0.01	34	0.46	2.98	< 0.1		13	388	208		2.42	
S10	26-Apr-06	265	0.35	0.001	0.17	0.47	< 0.0001	149	19	609	0.007	2750		< 0.005			0.17	< 0.001	30	0.14	2.48	< 0.1		10	349	181		0.63	
S10	29-Aug-06		0.2	0.003																									
S10	07-Nov-06	362	0.04	< 0.001	0.18	0.27	< 0.0001	189	27	638	0.005	3070		< 0.005			0.6	< 0.001	34	0.35	1.65	< 0.1		13	484	188		0.73	
S10	24-Apr-07	292	0.23	0.001	0.17	0.29	0.0018	144	20	500	0.009	2440		< 0.005			0.17	0.002	30	0.21	1.36	< 0.1		10	292	169		0.77	
S10	16-Aug-07		0.08	0.001																									
S10	27-Nov-07	368	0.35	< 0.001	0.26	0.12	< 0.0001	170	23	778	< 0.001	3320		0.005			0.61	< 0.001	25	0.51	0.62	< 0.1		7	438	123		1.12	
S10	23-May-08	345	0.2	0.002	0.26	0.14	< 0.0001	150	42	670	< 0.005	2990	< 0.002		9.7	490	0.41	< 0.0005	22	0.33	0.4	0.02	8.2	5.9	390	117	1810	1.1	
S10	19-Nov-08	413	0.53	< 0.001	0.3	0.16	< 0.0001	200	34	830	< 0.005	3620	< 0.002		10.3	630	0.46	< 0.0005	34	0.58	0.7	0.04	8.2	9.2	480	179	2300	1	
S10 FD	19-Nov-08	411	0.53	< 0.001	0.31	0.22	< 0.0001	200	37	840	< 0.005	3650	< 0.002		10.2	630	0.59	< 0.0005	34	0.6	0.7	0.04	8.1	9.3	530	179	2400	1	
S10	29-Apr-09	279	< 0.15	< 0.002	0.21	0.28	< 0.0001	170	26	680	< 0.005	2850	0.002		10.8	440	0.39	< 0.0005	25	0.18	0.3	0.01	8	5.1	460	100	1830	< 0.7	
S10	29-Oct-09	393	< 0.15	< 0.002	0.34	0.15	0.0001	190	34	870	< 0.005	3750	< 0.002		11.2	590	0.82	< 0.0005	30	0.6	0.6	0.01	8	8.3	570	140	2390	< 0.7	
S10	28-Apr-10	346	< 0.15	< 0.004	0.36	0.11	< 0.0001	210	52	960	< 0.005	3770	< 0.002		16	550	0.15	< 0.0005	28	0.43	< 0.1	< 0.01	8.1	6.2	620	100	2400	1	
S10	02-Nov-10	372	0.15	0.002*	0.25	0.09	< 0.0001	220	56	930	< 0.005	3970	< 0.002		16.1	620	0.36	< 0.0005	28	0.8	0.1	< 0.01	8.1	5.4	610	160	2440	1.1	

* - the calculated values of un-ionized ammonia may be anomalously elevated; due to a pH probe malfunction the lab pH values were used.

TABLE 17: SURFACE WATER QUALITY - BIOSOLIDS PROGRAM - LIL, LILb AND ADDITIONAL PARAMETERS Waste Management Ottawa Landfill

B2533Annual2007.xls

Name	Sample Date	Mercury mg/L	Molybdenum mg/L	Nickel mg/L	Nitrate mg/L	Nitrite mg/L	Phenol mg/L	Phosphorus (total) mg/L	Potassium mg/L	Selenium mg/L	Silver mg/L	Sodium mg/L	Sulphate mg/L	Thallium mg/L	Total Kjeldahl Nitrogen mg/L	Total Suspended Solids mg/L	Vanadium mg/L	Zinc mg/L
Pond	1-Aug-95				nd	nd				nd		101	47		1.07			
Pond FD	1-Aug-95				nd	nd				nd		100	47					
Pond	20-Oct-95				2.65	nd						78	86		3			
Pond	24-Jun-96				0.31	nd						117	54		1.73			
Pond	16-May-97				1.38	nd						132	70		5.78			
Pond	12-Nov-97				3.58	nd						130	132		7.12			
Pond	12-May-98				2	0.17						76	84		5.65			
Pond	12-May-99				4.29	1.87			13			133	108		6.57			
Pond	1-Jun-00				4.62	<0.1			13			155	112		5.9			
Pond FD	1-Jun-00				4.62	0.72			13			162	144		2.46			
Pond	11-May-01				<0.1	<0.1			12			157	92		14.2			
Pond	26-Jun-01	<0.0001	<0.01	<0.01	0.11	0.48	<0.001	0.06	12	<0.001	<0.01	177	170	<0.002	6.67	2	<0.001	<0.01
Pond	20-Sep-01	<0.0001	<0.01	<0.01	0.73	<0.1	<0.001	0.07	11	<0.001	<0.0001	214	119	<0.001	2.41	37	0.001	<0.01
Pond	19-Dec-01	<0.0001	<0.01	<0.01	2.22	<0.1	<0.001	0.07	11	<0.001	<0.0001	219	138	<0.001	3.52	17	0.001	0.16
Pond	9-Apr-02	<0.0001	<0.01	<0.01	2.52	0.12	0.001	0.13	2	<0.001	<0.0001	21	22	<0.001	4.43	8	<0.001	<0.01
Pond	15-May-02				11	<0.1			13			185	158		19.1			
Pond FD	15-May-02				12	1.03			14			188	172		15.4			
Pond	26-Jun-02	<0.0001	0.007	0.006	11	1.92	<0.001	0.06	12	<0.001	<0.005	166	324	<0.001	8.87	9	<0.001	0.005
Pond	9-Sep-02	<0.0001	0.005	0.008	2.73	<0.1	<0.001	0.02	14	0.001	<0.0001	197	145	<0.001	1.85	50	<0.001	<0.005
Pond	19-Dec-02	<0.0001	<0.005	<0.005	0.76	<0.1	<0.001	0.06	19	0.001	<0.0001	227	172	<0.001	3.14	38	<0.001	<0.005
Pond	22-May-03				5.65	0.17			11			167	158		4.62			
Pond FD	22-May-03				5.56	0.17			10			161	150		3.92			
Pond	30-Jun-03	<0.0001	<0.005	<0.005	3.33	<0.1	<0.001	0.04	10	<0.001	<0.0001	192	148	<0.001	3.12	12	<0.001	0.007
Pond	22-Sep-03	<0.0001	<0.005	<0.005	<0.1	<0.1	<0.001	0.16	16	<0.001	<0.0001	214	125	<0.001	3.28	24	<0.001	<0.005
Pond	29-Apr-04	<0.0001	<0.005	0.008	4.31	0.74	<0.001	0.09	12	0.001	<0.0001	126	132	<0.001	7.17	18	0.001	0.01
Pond	13-Sep-04		<0.005	0.006	0.15	<0.1	<0.001	0.16	12		<0.0001	165	85	<0.001	4.09	26	<0.001	<0.01
Pond	15-Apr-05		<0.005	0.006	3.99	0.55	<0.001	0.07	6	<0.001	<0.0001	100	75	<0.0001	5.33	11	<0.001	0.01
Pond	27-Apr-05				3.57	0.38			7			143	99		3.22			
Pond	27-Jul-05		<0.005	0.006	<0.1	<0.1	<0.001	0.02	8	<0.001	<0.0001	173	110	<0.0001	1.63	4	<0.001	<0.01
Pond FD	27-Jul-05		<0.005	0.006	<0.1	<0.1	<0.001	0.02	7	<0.001	<0.0001	169	98	<0.0001	1.56	11	<0.001	<0.01
Pond	25-Oct-05		<0.005	0.006	0.45	<0.1	<0.001	0.11	9	<0.001	<0.0001	224	107	<0.0001	2.24	31	0.001	<0.01
Pond FD	25-Oct-05		<0.005	0.007	0.48	<0.1	<0.001	0.11	9	<0.001	<0.0001	221	108	<0.0001	2.4	46	0.001	<0.01
Pond	26-Apr-06	<0.0001	<0.005	0.01	5.19	1.72	<0.001	0.09	9	<0.001	<0.0001	164	135	<0.0001	5.89	9	0.002	<0.01
Pond	18-Jul-06		<0.005	0.009	0.34	<0.1	<0.001	0.03	8	<0.001	<0.0001	188	131	<0.0001	1.75	11	<0.001	<0.01
Pond	30-Oct-06		<0.005	0.009	0.88	<0.1	<0.001	0.18	10	<0.001	<0.0001	195	107	<0.0001	3.08	64	<0.001	0.02
Pond	24-Apr-07		<0.005	0.013	4.77	<0.1	<0.001	0.13	12	0.001	<0.0001	173	149	<0.0001	10.3	9	0.002	<0.01
Pond FD	24-Apr-07		<0.005	0.013	5.14	<0.1	<0.001	0.12	12	0.002	<0.0001	169	154	<0.0001	10.3	13	0.002	<0.01

nd - non detect
FD - field duplicate

TABLE 17: SURFACE WATER QUALITY - BIOSOLIDS PROGRAM - L1L, L1Lb AND ADDITIONAL PARAMETERS Waste Management Ottawa Landfill

B2533Annual2007.xls

Name	Sample Date	Mercury mg/L	Molybdenum mg/L	Nickel mg/L	Nitrate mg/L	Nitrite mg/L	Phenol mg/L	Phosphorus (total) mg/L	Potassium mg/L	Selenium mg/L	Silver mg/L	Sodium mg/L	Sulphate mg/L	Thallium mg/L	Total Kjeldahl Nitrogen mg/L	Total Suspended Solids mg/L	Vanadium mg/L	Zinc mg/L
Pond	4-Jul-07		<0.005	0.011	1.42	<0.1	<0.001	0.07	11	0.001	<0.0001	184	143		2.3	8	0.001	<0.01
Pond FD	4-Jul-07		<0.005	0.011	1.5	<0.1	<0.001	0.07	11	0.001	<0.0001	193	141		2.4	7	0.001	<0.01
Pond	5-Oct-07		<0.005	0.009	0.15	<0.1	<0.001	0.09	11	<0.001	<0.0001	186	127		3.2	25	0.002	<0.01
S5	16-May-97				nd	nd						219	25		0.59			
S5	12-May-99				nd	nd			2			214	64		0.87			
S5 FD	12-May-99				nd	nd			3			210	56		0.8			
S5	6-Jan-00				3.16	<0.1			4			198	62		2.98			
S5	11-May-01				0.4	<0.1			7			99	45		5.76			
S5	26-Sep-01	<0.0001	0.02	<0.01	60.6	0.28	0.001	0.47	14	<0.001	<0.0001	43	416	<0.001	7.69	44	0.002	0.01
S5	19-Dec-01	<0.0001	<0.01	<0.01	7.03	<0.1	<0.001	0.11	6	<0.001	<0.0001	305	151	<0.001	10.7	15	0.001	<0.01
S5	9-Apr-02	<0.0001	<0.01	<0.01	3.52	0.65	0.026	0.39	7	<0.001	<0.0001	210	92	<0.001	15.4	26	0.001	<0.01
S5	15-May-02				19.1	1.58			17			217	178		18.8			
S5	26-Jun-02	<0.0001	<0.005	<0.005	3.63	0.25	0.002	0.5	10	<0.001	<0.005	248	116	<0.001	22.5	26	0.001	<0.005
S5	19-Dec-02	0.0002	0.1	0.2	314	0.38	0.008	3.89	152	0.006	0.0046	141	1800	<0.001	676	448	0.01	0.06
S5	22-May-03				8.75	<0.1			5			275	147		3.33			
S5	29-Apr-04	<0.0001	<0.005	0.007	3.4	0.71	<0.001	0.12	5	<0.001	0.0002	317	80	<0.001	5.19	8	0.002	<0.01
S5	13-Sep-04		0.014	0.019	62	1.89	<0.001	0.48	13		0.0003	175	260	<0.001	11.9	81	0.004	0.02
S5	15-Apr-05		<0.005	0.011	10.6	0.34	<0.001	0.16	6	<0.001	0.0001	265	138	<0.0001	6.42	39	0.002	<0.01
S5	27-Apr-05				8.87	0.36			6			232	121		5.66			
S5	27-Jul-05		0.009	0.032	<0.1	<0.1	<0.001	2.4	14	<0.05	<0.01	190	38	<0.01	14.1	855	0.011	0.13
S5	25-Oct-05		0.008	0.015	5.75	<0.1	<0.001	0.24	14	0.001	0.0004	66	236	<0.0001	13.4	28	0.002	<0.01
S5	26-Apr-06	<0.0001	<0.005	0.008	5.77	0.58	<0.001	0.1	4	<0.001	<0.0001	262	99	<0.0001	5.16		<0.001	<0.01
S5	31-May-06														8			
S5	18-Jul-06		<0.005	0.014	0.11	0.13	<0.001	0.38	11	<0.001	<0.0001	176	8	<0.0001	5.46	708	0.004	0.01
S5	30-Oct-06		<0.005	0.007	14.5	<0.1	<0.001	0.14	4	<0.001	0.0001	187	105	<0.0001	3.02	10	0.001	<0.01
S5 FD	30-Oct-06		<0.005	0.007	15.4	<0.1	<0.001		4	<0.001	<0.0001	192	103	<0.0001	14	0.001	<0.01	
S5	24-Apr-07		0.006	0.01	8.42	0.63	<0.001	0.1	8	0.002	<0.0001	196	146	<0.0001	8.62	3	0.002	<0.01
S8	26-Sep-01	<0.0001	0.02	<0.01	98.8	0.31	<0.001	0.47	24	0.001	<0.0001	56	451	<0.001	12.6	37	0.002	0.01
S8	19-Dec-01	<0.0001	<0.01	<0.01	38.9	0.42	<0.001	0.19	20	0.001	0.0001	264	232	<0.001	29.6	13	0.002	0.02
S8	9-Apr-02	<0.0001	<0.01	<0.01	8.71	1.06	0.01	0.4	12	<0.001	<0.0001	152	144	<0.001	21.5	42	0.001	<0.01
S8	26-Jun-02	<0.0001	0.006	<0.005	7.78	0.71	0.001	0.62	12	0.001	<0.005	201	294	<0.001	24.2	48	0.002	0.03
S8	9-Sep-02	<0.0001	0.008	0.005	0.93	<0.1	<0.001	0.05	17	0.001	<0.0001	146	141	<0.001	3.66	19	0.003	0.07
S8	19-Dec-02	<0.0001	<0.005	0.01	12.8	<0.1	<0.001	5.14	26	0.002	0.0002	166	284	<0.001	11.7	1290	0.01	0.9
S8	30-Jun-03	<0.0001	0.008	0.006	13.3	<0.1	<0.001	0.16	13	0.001	<0.0001	217	193	<0.001	5.14	17	0.001	0.14
S8	22-Sep-03	<0.0001	<0.005	<0.005	<0.1	<0.1	<0.001	0.62	18	<0.001	<0.0001	181	142	<0.001	9.52	220	0.002	0.59
S8	29-Apr-04	<0.0001	<0.005	0.022	0.87	0.63	<0.001	1.44	11	<0.001	0.0003	244	160	<0.001	13.2	185	0.011	2.15
S8	13-Sep-04		0.007	0.01	21.4	4.23	<0.001	0.6	13		0.0001	88	144	<0.001	6.88	140	0.002	0.08
S8	15-Apr-05		0.005	0.013	7.86	1	<0.001	0.22	9	<0.001	0.0001	164	171	<0.0001	8.1	77	0.002	0.16
S8	27-Jul-05		<0.005	0.017	<0.1	<0.1	0.013	1.86	9	<0.05	<0.01	170	136	<0.01	6.47	1070	0.013	0.31
S8	25-Oct-05		0.01	0.024	3.41	<0.1	<0.001	0.59	34	<0.05	<0.01	146	211	<0.01	16.6	109	<0.005	0.18

nd - non detect
FD - field duplicate

TABLE 17: SURFACE WATER QUALITY - BIOSOLIDS PROGRAM - L1L, L1Lb AND ADDITIONAL PARAMETERS Waste Management Ottawa Landfill

Name	Sample Date	Alkalinity mg/L	Aluminium mg/L	Ammonia mg/L	Antimony mg/L	Arsenic mg/L	Barium mg/L	Beryllium mg/L	Biochemical Oxygen Demand mg/L	Boron mg/L	Cadmium mg/L	Calcium mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Chromium mg/L	Cobalt mg/L	Conductivity uS/cm	Copper mg/L	Cyanide mg/L	Field Conductivity uS/cm	Field Dissolved Oxygen mg/L	Field pH unitless	Field Temperature °C	Fluoride mg/L	Iron mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L
S8	26-Apr-06	324	<0.01	2.76	<0.001	0.001	0.1	<0.001	2	0.14	<0.0001	161	52	420	0.007	0.0019	2260	0.009	<0.005	1376	19.06	7.49	8.41	0.16	2.22	0.002	25	0.32
S8	18-Jul-06	152	<0.01	1.13			0.11	<0.001	10	0.57	<0.0001	69	53	276	0.002	0.0038	1470	0.008	<0.005	1400	0.22	7.29	22.75	0.11	3.38	0.003	24	1.62
S8	30-Oct-06	301	<0.01	3.19			0.11	<0.001	48	0.21	<0.0001	162	80	262	0.002	0.0033	1880	0.014	<0.005	1225	14.51	7.32	4.06	<0.1	2.57	0.003	27	0.67
S8	24-Apr-07	477	<0.01	9.41			0.15	<0.001	7	0.28	<0.0001	248	87	246	0.006	0.0048	2220	0.012	<0.005	1722	13.65	7.13	14.61	0.11	5.91	0.001	43	1.33
S8	4-Jul-07	552	0.02	17.20			0.22	<0.001	8	0.16	<0.0001	220	94	216	0.007	0.0037	2070		<0.005	391		6.7	18.2	<0.1	11.30	0.002	41	1.90
S17 FD	13-Sep-04	108	<0.01	0.31			0.05	<0.001	8	0.17	<0.0001	64	55	324	0.001	0.0006	1290	0.003	<0.005					0.16	0.04	<0.001	21	0.1
S17 FD	15-Apr-05	242	<0.01	2.68			0.07	<0.001	11	0.11	<0.0001	132	62	241	0.003	0.0023	1530	0.009	0.006					0.16	0.32	<0.001	24	0.18
S17 FD	18-Jul-06	98	1.33	0.05			0.07	<0.001	3	0.36	<0.0001	59	67	322	0.002	0.0018	1590	0.004	<0.005					<0.1	0.27	<0.001	29	0.12
S17	19-Dec-01	236	0.16	15.8	<0.001	0.002	0.08	<0.002	4	0.89	<0.0001	165	109	239	0.002	0.0029	1850	0.02	<0.005	2000		7.56	0.9	0.45	0.29	<0.001	36	0.15
S17	9-Apr-02	77	0.1	6.75	<0.001	<0.001	0.02	<0.002	<1	0.11	<0.0001	41	25	71	<0.001	0.0008	539	0.004	<0.005	510		6.74	3	0.64	0.18	<0.001	7	0.09
S17	26-Jun-02	223	0.08	11.9	<0.001	<0.001	0.07	<0.001	8	0.17	<0.001	142	91	248	<0.001	0.0029	1580	0.01	<0.005	1220		7.31	22.8	0.15	0.35	<0.001	24	0.18
S17	9-Sep-02	93	0.08	0.06	<0.001	0.002	0.05	<0.001	2	0.15	<0.0001	76	81	234	<0.005	0.0024	1290	0.01	<0.005	1050		9.74	26.4	0.18	0.17	<0.001	22	0.01
S17	19-Dec-02	138	0.21	0.97	<0.001	0.001	0.06	<0.001	3	0.14	<0.0001	98	81	267	<0.005	0.0021	1470	0.008	<0.005	1348		9.47	0.9	0.6	0.42	<0.001	30	0.09
S17	30-Jun-03	71	0.06	0.11	<0.001	0.001	0.04	<0.001	8	0.16	<0.0001	94	93	328	<0.005	0.0031	1720	0.01	<0.005	1600		9.61	24.8	0.18	1.01	0.001	30	0.04
S17	22-Sep-03	97	0.02	0.11	<0.001	<0.001	0.05	<0.001	1	0.22	<0.0001	77	78	331	<0.005	0.0012	1540	0.003	<0.005	1500		8.39	19	0.16	0.11	<0.001	28	0.04
S17	29-Apr-04	256	<0.01	2.64	<0.001	<0.001	0.07	<0.001	6	0.1	<0.0001	146	61	298	<0.005	0.002	1680	0.006	<0.005		10.9	8.16	11.68	0.15	0.38	<0.001	27	0.08
S17	13-Sep-04	110	<0.01	0.32			0.05	<0.001	5	0.16	<0.0001	64	56	292	0.001	0.0006	1290	0.003	<0.005	1314	4.64	8.1	18.76	0.17	0.04	<0.001	21	0.11
S17	15-Apr-05	243	<0.01	2.62			0.07	<0.001	10	0.11	<0.0001	130	55	253	0.003	0.0024	1530	0.009	0.006	1367	17.62	8.21	10.7	0.16	0.35	0.001	23	0.2
S17	27-Jul-05	79	0.01	0.04			0.06	<0.001	<1	0.16	<0.0001	59	65	363	0.002	0.0007	1540	<0.001	<0.005	1564	6.25	8.06	23.37	0.1	0.08	<0.001	27	0.08
S17	25-Oct-05	131	<0.01	0.16			0.16	<0.001	10	0.19	<0.001	83	57	294	<0.005	<0.005	1430	0.008	<0.005	1015	14.39	7.86	7.32	0.24	0.92	<0.01	25	0.09
S17	26-Apr-06	270	<0.01	0.73	<0.001	<0.001	0.08	<0.001	2	0.14	<0.0001	150	33	123	0.005	0.0015	1830	0.005	<0.005	1152	14.55	7.91	9.86	0.13	0.16	<0.001	26	0.06
S17	18-Jul-06	96	<0.01	0.05			0.07	<0.001	3	0.28	<0.0001	59	60	314	0.002	0.0018	1590	0.004	<0.005	1654	4.32	7.88	26.37	<0.1	0.3	<0.001	29	0.11
S17	30-Oct-06	245	<0.01	1.67			0.09	<0.001	4	0.4	<0.0001	107	69	272	0.002	0.0017	1680	0.005	<0.005	1094	12.84	7.78	5.06	0.1	0.25	<0.001	29	0.06
S17	24-Apr-07	283	<0.01	4.26			0.08	<0.001	2	0.2	<0.0001	153	54	244	0.003	0.002	1720	0.014	<0.005	1304	6.9	7.4	14.57	<0.1	0.17	<0.001	28	0.04
S17	4-Jul-07	58	0.01	0.10			0.03	<0.001	2	0.13	<0.0001	47	54	291	0.001	0.0019	1430		<0.005	1141		9.31	19.88	<0.1	0.09	<0.001	28	0.05
S17	5-Oct-07	95	0.01	0.10			0.07	<0.001	32	0.31	<0.0001	44	92	254	0.002	0.0009	1330	<0.001	<0.005	1235	10.59	7.32	20.61	0.11	0.70	<0.001	30	0.52

nd - non detect
FD - field duplicate

TABLE 17: SURFACE WATER QUALITY - BIOSOLIDS PROGRAM - L1L, L1Lb AND ADDITIONAL PARAMETERS Waste Management Ottawa Landfill

B2533Annual2007.xls

Name	Sample Date	Mercury mg/L	Molybdenum mg/L	Nickel mg/L	Nitrate mg/L	Nitrite mg/L	Phenol mg/L	Phosphorus (total) mg/L	Potassium mg/L	Selenium mg/L	Silver mg/L	Sodium mg/L	Sulphate mg/L	Thallium mg/L	Total Kjeldahl Nitrogen mg/L	Total Suspended Solids mg/L	Vanadium mg/L	Zinc mg/L
S8	26-Apr-06	<0.0001	<0.005	0.011	6.04	0.52	<0.001	0.14	8	<0.001	<0.0001	260	131	<0.0001	5.89	72	0.002	<0.01
S8	18-Jul-06		<0.005	0.011	0.13	<0.1	<0.001	0.39	11	<0.001	<0.0001	183	104	<0.0001	3.94	126	0.002	0.26
S8	30-Oct-06		<0.005	0.012	18.9	0.22	<0.001	0.9	9	<0.001	0.0002	162	160	0.0001	13.5	136	0.002	0.04
S8	24-Apr-07		0.009	0.02	11.3	<0.1	<0.001	0.23	17	0.003	<0.0001	161	280	0.0001	16.2	86	0.005	<0.01
S8	4-Jul-07		<0.005	0.013	0.9	<0.1	0.001	0.44	14	0.002	<0.0001	113	204		22.0	59	0.006	0.05
S17 FD	13-Sep-04		<0.005	0.007	1.35	0.5	<0.001	0.09	13		<0.0001	155	96	<0.001	3.05	2	<0.001	<0.01
S17 FD	15-Apr-05		<0.005	0.011	5.77	1.26	<0.001	0.14	10	<0.001	0.0001	129	147	<0.0001	7.73	13	0.001	0.02
S17 FD	18-Jul-06		<0.005	0.012	<0.1	<0.1	<0.001	0.08	13	<0.001	<0.0001	202	142	<0.0001	3.3	134	0.001	<0.01
S17	19-Dec-01	<0.0001	0.01	<0.01	28.9	0.23	<0.001	0.2	22	0.001	<0.0001	149	244	<0.001	18	11	0.002	0.03
S17	9-Apr-02	<0.0001	<0.01	<0.01	5.53	0.41	0.002	0.09	4	<0.001	<0.0001	39	50	<0.001	8.34	15	<0.001	0.01
S17	26-Jun-02	<0.0001	0.01	0.005	14.9	1	<0.001	0.24	14	<0.001	<0.005	134	178	<0.001	15.5	5	0.001	0.02
S17	9-Sep-02	<0.0001	0.01	0.007	0.99	<0.1	<0.001	0.15	15	0.001	<0.0001	149	159	<0.001	1.81	25	0.003	<0.005
S17	19-Dec-02	<0.0001	0.01	0.007	1.61	<0.1	<0.001	0.15	25	0.002	0.0001	159	211	<0.001	6.52	12	0.002	<0.005
S17	30-Jun-03	<0.0001	0.007	0.007	10.4	<0.1	<0.001	0.4	14	0.001	0.0003	205	209	<0.001	5.73	87	0.002	0.007
S17	22-Sep-03	<0.0001	0.008	<0.005	<0.1	<0.1	<0.001	0.1	18	<0.001	<0.0001	195	176	<0.001	4.95	2	<0.001	<0.005
S17	29-Apr-04	<0.0001	0.007	0.011	2.59	0.51	<0.001	0.11	13	<0.001	0.0001	175	158	<0.001	13.4	29	<0.001	<0.01
S17	13-Sep-04		<0.005	0.006	1.32	0.51	<0.001	0.1	13		<0.0001	157	97	<0.001	4.16	8	<0.001	<0.01
S17	15-Apr-05		<0.005	0.012	5.7	1.32	<0.001	0.13	9	<0.001	0.0001	130	145	<0.0001	7.3	37	0.001	0.03
S17	27-Jul-05		<0.005	0.009	<0.1	<0.1	<0.001	0.07	9	0.001	<0.0001	205	133	<0.0001	2.49	4	<0.001	<0.01
S17	25-Oct-05		0.005	0.007	<0.1	<0.1	<0.001	0.22	11	<0.05	<0.01	178	133	<0.01	2.01	93	<0.005	0.11
S17	26-Apr-06	<0.0001	<0.005	0.011	6.68	0.36	<0.001	0.07	9	<0.001	<0.0001	177	162	<0.0001	4.19	21	0.002	<0.01
S17	18-Jul-06		<0.005	0.012	<0.1	<0.1	<0.001	0.22	13	<0.001	<0.0001	203	139	<0.0001	2.5	118	<0.001	<0.01
S17	30-Oct-06		<0.005	0.015	4.57	0.14	<0.001	0.1	18	0.001	<0.0001	173	144	<0.0001	4.48	10	<0.001	0.02
S17	24-Apr-07		0.007	0.014	10.3	<0.1	<0.001	0.05	12	0.002	<0.0001	159	185	0.0002	11.3	10	0.001	<0.01
S17	4-Jul-07		0.01	0.011	<0.1	<0.1	<0.001	0.04	10	0.002	<0.0001	185	152		2.1	3	<0.001	<0.01
S17	5-Oct-07		<0.005	0.01	<0.1	<0.1	<0.001	0.1	15	0.002	<0.0001	154	138		3.3	46	0.001	<0.01

nd - non detect
FD - field duplicate

TABLE 15: SURFACE WATER QUALITY - LIL, LIL_b
Waste Management Ottawa Landfill

B2533Annual2007.xls

Name	Sample Date	Alkalinity mg/L CaCO3	Ammonia mg/L	Barium mg/L	Boron mg/L	Cadmium mg/L	Calcium mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Chromium mg/L	Conductivity uS/cm	Cyanide mg/L	Fluoride mg/L	Iron mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L	Nitrate mg/L	Nitrite mg/L	Potassium mg/L	Sodium mg/L	Sulphate mg/L	Total Kjeldahl Nitrogen mg/L
S5	19-Dec-02	2120	603	0.1	0.24	0.02	649	2350	227	0.005	8970	0.04	0.28	3.76	0.01	238	0.61	314	0.38	152	141	1800	676
S5	22-May-03	349	0.13	0.07	<0.05	<0.0001	194	84	471	<0.005	2320	<0.005	0.18	0.32	<0.001	36	0.03	8.75	<0.1	5	275	147	3.33
S5	29-Apr-04	281	2.15	0.1	0.02	<0.0001	153	43	514	<0.005	2330	<0.005	0.16	0.82	<0.001	23	0.24	3.4	0.71	5	317	80	5.19
S5	13-Sep-04	203	4.12	0.09	0.17	<0.0001	229	148	312	0.003	2140	0.005	0.15	0.15	<0.001	35	0.08	62	1.89	13	175	260	11.9
S5	15-Apr-05	265	3.37	0.09	0.03	<0.0001	172	48	506	0.004	2370	<0.005	0.17	0.66	0.001	25	0.15	10.6	0.34	6	265	138	6.42
S5	27-Apr-05	277	2.25	0.09	0.06	<0.0001	151	54	419	0.001	2170	<0.005	0.19	1.07	0.005	29	0.4	8.87	0.36	6	232	121	5.66
S5	27-Jul-05	234	0.31	1.89	0.72	<0.001	59	263	323	0.01	1440	0.016	0.26	6.4	0.01	20	0.72	<0.1	<0.1	14	190	38	14.1
S5	25-Oct-05	388	7.61	0.11	0.22	<0.0001	173	106	111	0.003	1340	<0.005	0.33	1.19	0.002	36	0.35	5.75	<0.1	14	66	236	13.4
S5	26-Apr-06	279	2.63	0.09	0.03	<0.0001	134	39	494	0.002	2250	<0.005	0.14	1.48	<0.001	20	0.26	5.77	0.58	4	262	99	5.16
S5	18-Jul-06	474	2.14	0.06	0.28	<0.0001	132	103	282	0.003	1760	<0.005	0.19	1.05	0.002	35	0.68	0.11	0.13	11	176	8	5.46
S5	30-Oct-06	211	1.11	0.07	0.04	<0.0001	122	52	311	0.001	1740	<0.005	<0.1	0.53	<0.001	19	0.14	14.5	<0.1	4	187	105	3.02
S5 FD	30-Oct-06	211	1.34	0.07	0.04	<0.0001	128	62	302	0.001	1760	<0.005	<0.1	0.43	<0.001	20	0.13	15.4	<0.1	4	192	103	
S5	24-Apr-07	358	1.89	0.1	0.11	<0.0001	181	61	303	0.006	2010	<0.005	0.13	0.87	<0.001	30	0.58	8.42	0.63	8	196	146	8.62
S6	16-May-97		0.07	0.03	0.11	nd	72	130	46	nd	628	nd	0.11	1.47	nd	18	0.3	nd	nd		35	75	4.73
S6	12-May-98		0.05	nd	0.03	nd	78	63	29	nd	651	nd	0.2	0.35	nd	24	nd	nd	nd		5	174	1.65
S6	12-May-99	97	0.19	0.02	0.04	nd	67	64	19	nd	505	nd	0.27	0.11	nd	20	nd	0.65	0.16	12	13	139	1.97
S6	6-Jan-00	106	0.05	0.02	0.19	<0.00015	63	83	32	<0.01	576	<0.02	0.19	0.19	<0.001	23	0.04	<0.1	<0.1	17	23	143	1.79
S6	11-May-01	112	0.04	0.03	0.12	0.0002	50	59	25	0.001	501	<0.005	0.17	0.1	<0.001	18	0.01	<0.1	<0.1	12	18	116	1.67
S6	15-May-02	181	0.57	0.02	0.24	<0.005	78	79	27	0.002	701	<0.005	0.72	0.16	<0.001	21	0.01	0.82	<0.1	9	25	129	2.9
S6	22-May-03	169	0.21	0.03	0.14	<0.0001	54	91	58	<0.005	668	<0.005	0.77	0.51	<0.001	24	0.06	0.18	<0.1	17	42	83	4.34
S6	6-May-04	156	0.11	0.04	0.09	<0.0001	45	39	33	0.001	470	<0.005	0.14	0.09	<0.001	15	0.03	0.23	<0.1	8	26	29	1.62
S6	27-Apr-05	227	0.12	0.03	0.11	<0.0001	69	72	52	<0.001	657	<0.005	0.18	0.23	<0.001	20	0.03	0.47	0.11	10	40	30	2.38
S6	26-Apr-06	225	0.43	0.03	0.2	<0.0001	56	50	65	0.003	695	<0.005	0.14	0.19	<0.001	16	0.04	1.48	0.11	11	48	32	3.25
S6	24-Apr-07	297	20.8	0.05	0.54	<0.0001	48	142	159	0.006	1290	<0.005	0.1	0.68	<0.001	26	0.07	0.63	<0.1	34	130	81	27.9
S10	11-May-01	428	1.03	0.37	0.18	0.0002	201	41	670	0.001	2880	<0.005	0.16	0.51	<0.001	36	0.83	2.53	<0.1	14	349	136	1.78
S10	13-Nov-01	268	5.05	0.16	0.3	<0.0001	203	35	571	<0.001	2580	<0.005	0.45	0.08	<0.001	45	0.2	4.2	<0.1	24	279	279	5.28
S10	15-May-02	224	0.7	0.11	0.07	<0.0001	108	34	391	<0.001	1880	<0.005	0.59	0.3	<0.001	14	0.07	0.84	<0.1	5	260	105	1.68
S10	12-Nov-02	402	1.34	0.26	0.12	<0.0001	223	29	766	<0.005	3390	<0.005	0.13	0.36	<0.001	30	0.54	0.64	<0.1	26	456	166	2.3
S10	22-May-03	348	0.12	0.24	0.16	<0.0001	233	32	722	<0.005	3060	<0.005	0.2	0.34	<0.001	37	0.36	2.17	<0.1	16	439	188	0.87
S10	15-Aug-03		0.07																				
S10	5-Nov-03	268	1.02	0.21	0.21	<0.0001	173	36	545	0.005	2640	<0.005	0.44	1.06	<0.001	31	0.49	1.38	<0.1	22	369	247	1.74
S10	22-Dec-03		2.87																				
S10	30-Apr-04	269	0.21	0.16	0.12	<0.0001	138	17	440	0.004	2170	<0.005	0.27	0.2	<0.001	21	0.16	1.06	<0.1	8	292	115	0.82
S10	8-Sep-04		0.06																				

nd - non detect
 FD - field duplicate

TABLE 15: SURFACE WATER QUALITY - LIL, LIL_b

Waste Management Ottawa Landfill

B2533Annual2007.xls

Name	Sample Date	Alkalinity mg/L CaCO3	Ammonia mg/L	Barium mg/L	Boron mg/L	Cadmium mg/L	Calcium mg/L	Chemical Oxygen Demand mg/L	Chloride mg/L	Chromium mg/L	Conductivity uS/cm	Cyanide mg/L	Fluoride mg/L	Iron mg/L	Lead mg/L	Magnesium mg/L	Manganese mg/L	Nitrate mg/L	Nitrite mg/L	Potassium mg/L	Sodium mg/L	Sulphate mg/L	Total Kjeldahl Nitrogen mg/L
S10	5-Nov-04	263	0.61	0.15	0.21	<0.0001	137	27	552	0.002	2520	<0.005	0.32	0.32	<0.001	29	0.2	1.28	<0.1	12	327	198	1.24
S10	27-Apr-05	224	0.26	0.11	0.15	<0.0001	223	18	432	<0.001	2070	<0.005	0.33	0.2	<0.001	24	0.08	0.97	<0.1	6	251	132	0.94
S10	24-Aug-05		0.08																				
S10	28-Nov-05	331	1.44	0.17	0.21	<0.001	187	31	704	<0.005	3050	<0.005	0.26	1.14	<0.01	34	0.46	2.98	<0.1	13	388	208	2.42
S10	26-Apr-06	265	0.35	0.17	0.47	<0.0001	149	19	609	0.007	2750	<0.005	0.41	0.17	<0.001	30	0.14	2.48	<0.1	10	349	181	0.63
S10	29-Aug-06		0.2																				
S10	7-Nov-06	362	0.04	0.18	0.27	<0.0001	189	27	638	0.005	3070	<0.005	0.3	0.6	<0.001	34	0.35	1.65	<0.1	13	484	188	0.73
S10	24-Apr-07	292	0.23	0.17	0.29	0.0018	144	20	500	0.009	2440	<0.005	0.35	0.17	0.002	30	0.21	1.36	<0.1	10	292	169	0.77
S10	16-Aug-07		0.08																				
S10	27-Nov-07	368	0.35	0.26	0.12	<0.0001	170	23	778	<0.001	3320	0.005	0.16	0.61	<0.001	25	0.51	0.62	<0.1	7	438	123	1.12
S11	6-Dec-01	214	7.17	0.1	0.3	<0.005	188	16	358	<0.01	2010	<0.005	0.82	0.11	<0.001	40	0.14	3.44	<0.1	24	186	303	7.17
S11	23-May-03	148	2.41	0.09	0.25	<0.0001	123	14	386	<0.005	1960	<0.005	0.49	0.12	<0.001	35	0.04	1.44	<0.1	21	223	237	3.29
S11	5-Nov-03	159	1.84	0.09	0.37	<0.0001	145	14	358	0.003	2130	<0.005	0.82	0.13	<0.001	40	0.05	1.56	<0.1	30	252	371	2.23
S11	30-Apr-04	204	1.35	0.1	0.24	<0.0001	128	15	324	0.001	1850	<0.005	0.52	0.08	<0.001	33	0.06	1.5	<0.1	17	223	206	1.97
S11	5-Nov-04	165	1.35	0.08	0.35	<0.0001	118	12	332	0.002	1970	<0.005	0.53	0.21	<0.001	35	0.05	1.93	<0.1	18	261	299	2.17
S11	27-Apr-05	185	1.12	0.07	0.25	<0.0001	250	14	280	<0.001	1890	<0.005	0.65	0.08	<0.001	41	0.03	2.5	<0.1	12	209	315	1.61
S11	28-Nov-05	272	2.36	0.15	0.45	<0.0001	214	22	417	0.004	2500	<0.005	0.58	0.9	<0.001	46	0.56	2.89	<0.1	17	269	442	2.76
S11	26-Apr-06	166	1.79	0.09	0.42	<0.0001	129	11	420	0.003	2270	<0.005	0.86	0.14	<0.001	41	0.03	3	<0.25	17	241	313	1.96
S11 FD	26-Apr-06	166	1.53	0.09	0.44	<0.0001	132	10	418	0.007	2260	<0.005	0.86	0.13	<0.001	42	0.03	3.01	0.59	17	246	312	1.81
S11	7-Nov-06	172	1.5	0.06	0.44	<0.0001	127	10	370	<0.005	2210	<0.005	0.67	1.52	<0.005	38	0.29	1.95	<0.1	19	329	331	1.85
S11	24-Apr-07	183	1.06	0.08	0.4	<0.0001	103	15	319	0.003	1860	<0.005	0.6	<0.03	<0.001	34	<0.01	0.96	<0.1	14	224	239	1.55
S11	29-Nov-07	181	1.44	0.06	0.47	<0.0001	132	7	340	0.001	2180	<0.005	0.71	0.03	<0.001	38	0.05	1.98	<0.1	17	260	334	1.9
S12	6-Dec-01	181	5.85	0.08	0.26	<0.005	169	13	302	<0.01	1790	<0.005	0.76	0.15	<0.001	40	0.08	3.14	<0.1	21	154	272	5.85
S12	22-May-03	158	1.97	0.09	0.39	<0.0001	111	10	430	<0.005	2260	<0.005	0.87	0.12	<0.001	38	0.01	3	0.25	28	292	272	2.72
S12	5-Nov-03	180	3.31	0.1	0.37	<0.0001	138	14	385	0.004	2150	<0.005	0.68	0.08	<0.001	39	0.04	2.59	0.14	31	262	351	3.37
S12	30-Apr-04	183	2.07	0.07	0.28	<0.0001	117	15	361	<0.005	1980	<0.005	0.68	0.13	<0.001	37	0.03	1.84	0.34	18	249	232	2.69
S12	5-Nov-04	168	1.79	0.13	0.39	<0.0001	113	13	346	0.006	2010	<0.005	0.58	1.75	0.006	35	0.28	2.39	<0.1	18	263	312	2.88
S12	27-Apr-05	187	1.52	0.07	0.27	<0.0001	150	5	285	<0.001	1880	<0.005	0.64	0.19	<0.001	44	0.04	3.16	<0.1	13	216	324	1.94
S12 FD	27-Apr-05	187	1.11	0.07	0.26	<0.0001	149	11	280	<0.001	1870	<0.005	0.64	0.21	<0.001	44	0.04	3.13	<0.1	12	212	322	2.05
S12	28-Nov-05	198	0.13	0.05	0.57	<0.0001	258	<5	315	0.002	2520	<0.005	1.21	0.04	<0.001	68	0.01	9.2	<0.1	17	232	702	0.31
S12	26-Apr-06	167	1.85	0.1	0.42	<0.0001	126	8	436	<0.005	2270	<0.005	0.82	1.27	0.002	40	0.17	2.87	<0.25	17	245	310	2.02
S12	7-Nov-06	173	1.42	0.03	0.41	<0.0001	121	14	364	0.01	2210	<0.005	0.63	<0.03	<0.001	39	<0.01	1.96	<0.1	20	315	351	1.96
S12	24-Apr-07	192	1.23	0.08	0.4	<0.0001	105	15	323	0.005	1880	<0.005	0.61	0.33	0.001	35	0.04	1.07	<0.1	15	227	235	1.8
S12	29-Nov-07	221	1.24	0.06	0.51	<0.0001	173	<5	325	0.003	2320	<0.005	1.00	0.06	<0.001	47	0.08	2.03	<0.1	18	261	415	1.67

nd - non detect

FD - field duplicate